

N O T I C E

THIS DOCUMENT HAS BEEN REPRODUCED FROM
MICROFICHE. ALTHOUGH IT IS RECOGNIZED THAT
CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED
IN THE INTEREST OF MAKING AVAILABLE AS MUCH
INFORMATION AS POSSIBLE

VECTOR WIND PROFILE GUST MODEL

MIDTERM REPORT

(For Period April 10 - October 10, 1979)

Prepared For

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
George C. Marshall Space Flight Center
Marshall Space Flight Center, Alabama 35812

Under Contract NAS8-33433

(NASA-CR-161474) VECTOR WIND PROFILE GUST
MODEL Midterm Report, 10 Apr. - 10 Oct.
1979 (Computer Sciences Corp.) 145 p
HC A07/MF A01

N80-25992

CSC 04B

Unclass

G3/47 23465

CSC

COMPUTER SCIENCES CORPORATION

VECTOR WIND PROFILE GUST MODEL
MIDTERM REPORT
(For Period April 10 - October 10, 1979)

Contract NAS8-33433

October 20, 1979

Prepared By

Stanley I. Adelfang
Computer Sciences Corporation
300 Sparkman Drive, NW, Wing E
Huntsville, Alabama 35805
205/837-5750

Prepared For

National Aeronautics and Space Administration
George C. Marshall Space Flight Center
Marshall Space Flight Center, Alabama 35812

TABLE OF CONTENTS

Section I - Introduction	1
Section II - Data	2
A. Wind Measuring System Amplitude Response	2
B. Data Sample	3
C. Digital Filters	6
1. Filter Design	6
2. Filter Application	7
D. Definition of Gust	11
Section III - Probability Distributions	15
Section IV - Gust Analysis	18
A. Variability of Gamma Distribution Parameters	18
B. Gust Variability	23
Section V - Conclusions	33
Section VI - Financial Summary	34
Section VII - References	35
Appendix A - Data Display	
Appendix B - Gust Statistics	
Appendix C - Theoretical Probabilities	

LIST OF ILLUSTRATIONS

Figure

1	Amplitude Response of the Jimsphere System . . .	4
2	Distribution of February, April, and July Jimsphere Soundings from 150 per Month Sample . . .	5
3	Filtering Process	8
4	Amplitude Response of Four Digital Filters Used for Calculation of Residual Profiles	10
5	Cape Kennedy Residual Profiles	12
6	Schematic Definition of Gust	14
7	Parameter γ of the Gamma Distribution of Zonal Component Gust During February at Cape Kennedy as a Function of Filter Cut-Off Frequency, λ_c , and Altitude	19
8	Parameter γ of the Gamma Distribution of Meridional Component Gust During February at Cape Kennedy as a Function of Filter Cut-Off Frequency, λ_c , and Altitude	20
9	Parameter β^* of the Gamma Distribution of Zonal Component Gust During February at Cape Kennedy as a Function of Filter Cut-Off Frequency, λ_c , and Altitude	21
10	Parameter β^* of the Gamma Distribution of Meridional Component Gust During February at Cape Kennedy as a Function of Filter Cut-Off Frequency, λ_c , and Altitude	22
11	Variability of Theoretical (Gamma) Distribution of Zonal Component Gust During February at Cape Kennedy as a Function of Altitude for Various Cut-Off Frequencies, λ_c	24
12	Theoretical (Gamma) Distribution of Zonal Component Gust at 12 km During July and February for $\lambda_c = 997$ and 6000 meters	25
13	Theoretical (Gamma) and Observed Probability Distribution of u-Component Gust at 12 km During February at Cape Kennedy	26
14	Theoretical (Gamma) Probability Distribution of u-Component Gust at 12 km During April at Cape Kennedy	27

LIST OF ILLUSTRATIONS (CONT'D.)

Figure

15	Theoretical (Gamma) Probability Distribution of u-Component Gust at 12 km During July at Cape Kennedy	28
16	Empirical Functions (From Equation 16) for Percentiles of u-Component Gust at 12 km During February	29
17	Empirical Functions (From Equation 16) for Percentiles of u-Component Gust at 12 km During April	30
18	Empirical Functions (From Equation 16) for Percentiles of u-Component Gust at 12 km During July	31

LIST OF TABLES

Table

1	Filter Design Parameters, Filter Weighting Functions of Four Filters Used for Calculation of Residual Profiles, and Altitude Range of Residual Profiles	9
2	Parameters d_0 , d_1 , and d_2 of Equation 16 for the 50, 90, 95, and 99 Percentile of $ u' $	32

SECTION I. INTRODUCTION

This report documents and summarizes the work during the first half of a 12-month study to establish a Vector Wind Profile Gust Model for the Space Shuttle O/T Operations and Trade Studies. The body of the report is composed of five sections (II through VI). Section II describes various aspects of the basic and derived data used in this study. The accuracy of Jimsphere wind profile data used in this study is described in terms of the amplitude response of the measurement system. The theory and application of digital filters to Jimsphere profiles to derive residual profiles with wavelengths within specified ranges is discussed; a definition of gust is given for this report that is appropriate to the analysis of singularities and quasi-sinusoidal perturbations that are typically observed in vertical wind profiles.

Section III provides a brief description of the theoretical probability distributions proposed to represent the distribution of gust and gust length. No attempt is made to provide derivations of various aspects of these distributions. Appropriate references to the literature for these derivations and other background material will be provided in the final report under this contract.

Section IV contains an analysis of wind profile gust at Cape Kennedy within the theoretical framework set forth in Section III. The variability of theoretical and observed gust magnitude with filter type, altitude, and season is described. Various examples are presented which illustrate agreement between theoretical and observed gust percentiles.

These sections are followed by conclusions drawn from the study (Section V) and three appendices. Appendix A contains plots of gust and associated gust length to illustrate the data analyzed in this study. Appendix B contains statistics of gust data, including variance-covariance and correlation matrices and gamma distribution parameters. Appendix C contains theoretical probabilities calculated by numerical integration of the gamma probability density function. All the appendices provide complete data for the month of February at six reference altitudes (4, 6, ..., 14 km) at Cape Kennedy for four wavelength ranges.

SECTION II. DATA

Basic and derived properties of the data used in this study are described in this section. Jimsphere wind profiles expressed in component form at 25-meter intervals are the basic data. Derived properties of the data include amplitude response calculations for description of the accuracy of the Jimsphere system at small wavelengths and digital filtered profiles and gusts that are the subject of the detailed statistical analysis and modeling of this study. A detailed description of these data properties is given below.

A. WIND MEASURING SYSTEM AMPLITUDE RESPONSE

Wind profile data used in this study were obtained with the Jimsphere system. Since the small wavelength perturbations observed in these profiles are the subject of a detailed analysis, it is appropriate to specify the accuracy of the system for small wavelengths. A measure of the accuracy is the amplitude response, $G(\lambda)$, which is equivalent to the ratio $A(\lambda)/A^*(\lambda)$; where $A^*(\lambda)$ is the true amplitude of a perturbation in the wind profile at wavelength, λ , and $A(\lambda)$ is the amplitude measured with the Jimsphere system. The amplitude response of the Jimsphere system is limited by the size of the balloon (2-meter diameter), the balloon ascent rate (4-5 m/sec), the accuracy of the balloon tracking system (FPS-16), and the data smoothing technique. The balloon positions, determined every 0.1 second, are smoothed to provide mean positions at each 25-meter interval of ascent. Differences in position between alternate 25-meter levels indicate the mean wind for the corresponding 50-meter layer, and are reported as the wind at the 25-meter level in the middle of the 50-meter layer. Thus, the basic data analyzed here are wind speeds and directions for 50-meter layers, overlapping by 25 meters. Only when at least 25 meters intervene between two layers (i.e., winds reported for levels at least 75 meters apart) can two winds be considered independent observations (Ref. 1).

Expressions for the amplitude response, $G(\lambda)$, of the Jimsphere system to wind perturbation wavelengths that are small relative to the length of the wind profile have been derived by Luers and Engler (Ref. 2),

$$G(\lambda) = \frac{\cos\left(\frac{\pi S}{3\lambda}\right) \sin^2\left(\frac{\pi S}{3\lambda}\right)}{\left(\frac{\pi S}{3\lambda}\right)^2} \quad (1)$$

and by DeMandel and Krivo (Ref. 3),

$$G(\lambda) = \frac{\sin\left(\frac{4\pi w}{\lambda}\right) \sin\left(\frac{50\pi}{\lambda}\right)}{200w\left(\frac{\pi}{\lambda}\right)^2} \quad (2)$$

where

S = smoothing interval = 75m

λ = wavelength (m)

w = Jimsphere balloon ascent rate (m/s)

As illustrated in Fig. 1, the Jimsphere system does not measure wavelengths less than 50 meters; for $\lambda=90\text{m}$, the measured amplitude is one-half the true amplitude.

B. DATA SAMPLE

The data consist of 1800 Jimsphere profiles (150 per month) from Cape Kennedy, Florida (Ref. 4). The data were obtained under a Space Shuttle Level II directive that specifies the demonstration of vehicle design validity using 150 Jimsphere wind profiles representative of each month. Three months (February, April, and July) were chosen for analysis in this study. April data were used to develop and refine the analysis procedure which could be applied efficiently to other months when required. April was also of interest because it coincided with the planned¹ Orbital Flight Test Mission. The February and July data were chosen because they are representative of the seasonal extremes at Cape Kennedy. The number of soundings for each month for each year of the sampling period is illustrated in Figure 2.

¹Rescheduled.




Figure 1. Amplitude Response of the Jimsphere System




Figure 2. Distribution of February, April, and July Jimsphere Soundings from 150 per Month Sample (Ref. 4)

C. DIGITAL FILTERS

Vector wind gust statistics and models are based on data that have been obtained from filtered wind profiles. The filtering process provides profile data that contain perturbations within a range of wavelengths that is suitable for simulation studies of space vehicle ascent through the atmosphere. The design and application of these filters are described below.

1. Filter Design. The design of the digital filters is based on the Martin-Graham cosine rolloff model described by Demandel and Krivo (Ref. 5). A set of numerical smoothing weights is calculated for a low-pass filter from the equation

$$h(nT) = \frac{\sin(2\pi f_t nT) + \sin(2\pi f_c nT)}{2\pi nT [1 - 4n^2 T^2 (f_t - f_c)^2]} \quad (3)$$

where the filter design parameters are

T = altitude interval of wind profile data

n = weight index $(-N, -N+1, \dots, -1, 0, 1, \dots, N-1, N)$

N = $(NW-1)/2$

NW = number of weights

f_c = cutoff frequency = the highest frequency with associated amplitude passed with unity gain

f_t = termination frequency = the lowest frequency with associated amplitude passed with zero gain.

The center weight ($n = 0$) is given by:

$$h_0 = f_c + f_t. \quad (4)$$

When the weights, h_n , have been determined, they are normalized by applying the constraint

$$\sum_{N=-1}^N h_n = 1. \quad (5)$$

Only $(N + 1)$ weights are calculated since $h_n = h_{-n}$. Since the filter function is symmetrical, no phase shift is produced.

The use of digital smoothing weights results in the loss of the first and last N data points of the original profile. Thus the filtered wind profile has an altitude range that is reduced by $2NT$ compared to the original profile.

The effective response of the low-pass filter, given the design parameters listed under equation (3) is


$$G_L(f) = h_0 + 2 \sum_{n=1}^N h_n \cos(2\pi f n T). \quad (6)$$

As the number of weights (NW) is increased, the response of the filter improves. However, computation time increases as does the number of points lost (the first and last N data points). In this study, NW was chosen to minimize data loss while maintaining a reasonably accurate filter response.

2. Filter Application. Jimsphere wind profiles from the surface to 20 km in component form (zonal and meridional) were decomposed into eight data bases by the filtering process diagrammed in Figure 3. Four of the data bases consist of low-pass profiles that can be used in analyses of steady state and wind bias profiles. The other data bases consist of high-pass profiles defined here as residual profiles; these profiles consist of perturbations with relatively small wavelengths that are of interest in evaluations of vehicle bending mode response. Gusts that are derived from residual profiles are the subject of the detailed statistical analysis described in subsequent sections of this report.

The design parameters and weighting functions of four low-pass filters and the altitude range of the filtered profiles used in this study are listed in Table 1.

The method of calculating high-pass profiles by subtraction of the low-pass filtered profiles from the original Jimsphere profile is equivalent to the execution of a high-pass filter. The effective amplitude response of the four high-pass filters that are appropriate for description of the upper end of the wavelength range of the residual profiles is illustrated in Figure 4. The nominal high wavelength limit for each set of residual profiles is the wavelength at which the amplitude response of the corresponding filter is .50.



¹Nominal low wavelength limit of Jimsphere system

²Defined in text

Figure 3. Filtering Process

Table 1. Filter Design Parameters, Filter Weighting Functions of Four Filters Used for Calculation of Residual Profiles, and Altitude Range of Residual Profiles

Filter Design Parameters

Filter	T(m)	N	$f_c(m^{-1})$	$f_t(m^{-1})$
I	25	20	.00034	.00435
II	250	5	.00004	.00080
III	25	50	.00050	.00150
IV	250	10	0	.000342

Filter Weights

	I	II	III	IV
h_0	0.116360050	0.203331671	0.050406609	0.084765087
.	0.112681533	0.182602840	0.050170253	0.083178582
.	0.102183235	0.130080937	0.049465762	0.078561135
.	0.086369542	0.068650095	0.048306755	0.071321355
h_1	0.067415386	0.020649325	0.046715542	0.062084219
.	0.047750214	-0.003649032	0.044722562	0.051615690
.	0.029618173		0.042365613	0.040733073
.	0.014711243		0.039688904	0.030213801
.	0.003949048	1.000000000	0.036741958	0.020715102
.	-0.002560992		0.033578388	0.012714788
.	-0.005394941		0.030254595	0.006479712
.	-0.005565475		0.026828417	
.	-0.004229394		0.023357771	
.	-0.002423366		0.019899321	1.000000000
.	-0.000884042		0.016507215	
.	0.000021198		0.013231923	
.	0.000259004		0.010119200	
.	0.000022211		0.007209211	
.	-0.000405784		0.004535825	
.	-0.000771288		0.002126107	
h_N	-0.000925530		0.000000000	
N			-0.001829786	
$h_0 + 2 \sum_{i=1}^N h_i$	1.000000001		-0.003357689	
			-0.004585729	
			-0.005519564	
			-0.006174897	
			-0.006569761	
			-0.006727193	
			-0.006673649	
			-0.006438065	
			-0.006050919	
			-0.005543301	
			-0.004946033	
			-0.004288852	
			-0.003599693	
			-0.002904062	
			-0.002224550	
			-0.001580449	
			-0.000987520	
			-0.000457877	
			.333639299-12	
			0.000381141	
			0.000683858	
			0.000909429	
			0.001061717	
			0.001146732	
			0.001172171	
			0.001146932	
			0.001080646	
			0.000983218	
			0.000864417	
			0.999999999	

Altitude Range of Residual Profiles

Filter	Z_{min} (km)	Z_{max} (km)
I	0.5	19.50
II	1.75	18.25
III	1.25	18.75
IV	3.75	16.25




Figure 4. Amplitude Response of Four Digital Filters Used for Calculation of Residual Profiles

ORIGINAL PAGE IS
OF POOR QUALITY

A set of u component residual profiles calculated from the Jimsphere profile of 7 April 1966 (0955 Z) at Cape Kennedy is illustrated in Figure 5.

D. DEFINITION OF GUST

The definition of gust used in this study satisfies the objective to provide data that are suitable for a detailed statistical analysis of singularities and quasi-sinusoidal perturbations that are often observed in Jimsphere wind profiles. A statistical model of these gusts so defined will be developed that will be useful for certain types of flight simulations of space vehicle ascent through the perturbed atmosphere.

According to the conventional approach, a gust profile is calculated by applying a high-pass digital filter to a Jimsphere profile; all the speeds in the filtered profile are defined as gusts. In this study, these speeds are defined as residuals; the maximum positive or negative residual in the vicinity of a specified reference altitude is defined as a gust. A formal definition of gust is given below.

Let u' represent the zonal wind component at a specified reference altitude, H_0 , in a residual profile. The zonal gust is defined as the maximum value of u' in the vicinity of altitude H_0 with like sign to u' at H_0 . The altitude interval associated with the gust is defined as the gust length, L , which is calculated by taking the altitude difference of the zero crossings on either side of the gust; i.e.,

$$L = H_2 - H_1 \quad (7)$$

The altitudes of the zero crossings, H_2 and H_1 , are calculated by linear interpolation according to

$$H_2 = H_{j-1} - \frac{25}{u'_j - u'_{j-1}} u'_{j-1} \quad (8)$$

$$H_1 = J_{k+1} - \frac{25}{u'_{k+1} - u'_k} u'_{k+1} \quad (9)$$




Figure 5. Cape Kennedy Residual Profiles

where

H_2 = altitude of the first zero crossing for the upward scan

u'_{j-1} = last value of u' with the like sign of u' at H_0 when scanning upward¹

u'_j = first value of u' with sign opposite to sign of u' at H_0 when scanning downward

H_{j-1} = altitude of u'_{j-1}

H_1 = altitude of the first zero crossing for the downward scan

u'_{k+1} = last value of u' with like sign to sign of u' at H_0 when scanning downward

u'_k = first value of u' with sign opposite of u' at H_0 when scanning downward

H_{k+1} = altitude of u'_{k+1}

Similarly, the meridional gust component, v' , is defined by substitution of v' for u' above. In most instances, the zonal and meridional component gusts defined in this manner do not occur at the same altitude. This altitude difference is a measure of the phase difference between the components.

A schematic definition of gust is given in Figure 6.

¹The indices j and k increase upward.




Figure 6. Schematic Definition of Gust

ORIGINAL PAGE IS
OF POOR QUALITY

SECTION III. PROBABILITY DISTRIBUTIONS

In a previous study (Ref. 6), it was shown that the probability density function of absolute component gust or gust length is univariate gamma of the form

$$f(x) = \frac{\beta^\gamma}{\Gamma(\gamma)} x^{\gamma-1} \text{EXP}(-\beta x) \quad (10)$$

$$\begin{aligned} \text{where } 0 \leq x \leq \infty \\ \gamma > 0, \quad \beta > 0 \end{aligned}$$

The parameters γ and β are estimated according to the method of maximum likelihood (Ref. 7) or from sample statistics. It can be shown that either method yields similar results for the monthly data sets of sample size equal to 150 that are used in this study. Since the sample statistics method involves a more straightforward calculation, it was chosen for this study; thus,

$$\gamma = (\bar{x}/\sigma)^2 \quad (11)$$

$$\beta = \gamma/\bar{x} \quad (12)$$

where \bar{x} and σ are the sample mean and standard deviation. The parameter γ defines the form of the distribution function. When γ is large, the distribution is approximately normal. The parameter β is a scaling parameter.

The joint probability density function of absolute component gust and associated gust length is bivariate gamma of the form (for $\gamma_1 = \gamma_2 = \gamma$)

$$\begin{aligned} f(x, y) = \frac{\beta_1^\gamma \beta_2^\gamma}{(1-\rho)\Gamma(\gamma)} \left(\frac{xy}{\rho\beta_1\beta_2} \right)^{\frac{\gamma-1}{2}} \text{EXP} \left(-\frac{\beta_1 x + \beta_2 y}{1-\rho} \right) \\ \cdot I_{\gamma-1} \left\{ \frac{2\sqrt{\rho\beta_1\beta_2 xy}}{1-\rho} \right\} \end{aligned} \quad (13)$$

where $0 \leq x \leq \infty$

$0 \leq y \leq \infty$

$\gamma > 0, \beta_1 > 0, \beta_2 > 0, 0 \leq \rho < 1$

$I_\nu\{\}$ is the modified Bessel function of order ν .

The conditional gamma probability density function is of particular interest since it provides an estimate of the probability that a certain gust magnitude will be exceeded at a particular gust length; the density function is

$$f(y|x=x^*) = \beta_2^\gamma \text{EXP}(-\rho\beta_1 x^*/1-\rho) y^{\frac{\gamma-1}{2}} \text{EXP}(-\beta_2 y/1-\rho) \quad (14)$$

$$\cdot \frac{I_{\gamma-1} \left\{ \frac{2\sqrt{\rho\beta_1\beta_2} x^* y}{1-\rho} \right\}}{1-\rho(\rho\beta_1\beta_2)^{\frac{\gamma-1}{2}} x^{\frac{\gamma-1}{2}}}$$

It follows that the probability that y_1 is not exceeded given $x=x^*$ is

$$\Pr\{y < y_1 \mid x = x^*\} = \int_0^{y_1} f(y|x = x^*) dy \quad (15)$$

where y = absolute gust component amplitude

x = gust length

Computer programs have been developed during this study for calculation of probabilities by numerical integration of the univariate and bivariate gamma distribution utilizing the Univac 1108 or Hewlett Packard HP-97. For calculation of conditional probabilities, library routines are used for evaluation of the modified Bessel function. The HP-97 program is not as general since it cannot calculate modified Bessel functions for fractional orders. However, it has been demonstrated that setting $\gamma_1 = \gamma_2 = 3$ is a reasonable assumption that permits

straightforward evaluation of equation (14) which for this special case contains the Bessel function of second order.

SECTION IV. GUST ANALYSIS

The gust analysis is consistent with the theoretical model described in Section III. The validity of the model has been demonstrated in a previous study (Ref. 6). Additional examples that indicate close agreement between observed and theoretical probability distributions are presented in this section. The variation of these distributions as a function of altitude, filter, and month is described and a procedure for estimation of gust percentiles as a function of filter cut-off is developed. Ultimately, the analysis will be based on statistics that have been calculated for the months of February, April, and July; for the purpose of this interim report, emphasis is given to the months of February and July.

A. VARIABILITY OF GAMMA DISTRIBUTION PARAMETERS

Variability of the parameters γ and β defined in Section III is an indication of the variability of the theoretical gust distribution. As indicated earlier, γ determines the form of the distribution function and β is a scaling parameter. Gust percentiles are inversely related to β , or directly related to β^* , where $\beta^* = 1/\beta$.

The variability of γ and β^* as a function of filter cut-off wavelength, γ_c , and altitude is illustrated in Figures 7 and 9 for u component gust and in Figures 8 and 10 for v component gust. As illustrated in Figures 7 and 8, the value of γ is usually between 2.25 and 3.25 for both components; the variability within that range is not clearly systematic with respect to either altitude or filter cut-off frequency. As illustrated in Figures 9 and 10, the scaling parameter, β^* , is strongly influenced by filter cut-off frequency and, to a somewhat lesser extent, by altitude; β^* increases as γ_c increases; the increase of β^* with altitude is most pronounced between 8 and 10 km.

It may be necessary to estimate γ and β^* at altitudes from 0 to 20 km as part of the vector wind residual (gust) model. The parameters can be estimated from sample statistics between 4 and 14 km; for altitudes outside this range, the feasibility of using an extrapolation technique has been studied. The technique is based on calculation of fourth order polynomials that describe the sample mean and standard deviation as a function of altitude. These polynomials are used for calculation




Figure 7. Parameter γ of the Gamma Distribution of Zonal Component Gust during February at Cape Kennedy as a Function of Filter Cut-Off Frequency, λ_c , and Altitude

ORIGINAL PAGE
OF POOR QUALITY





Figure 8. Parameter γ of the Gamma Distribution of Meridional Component Gust during February at Cape Kennedy as a Function of Filter Cut-Off Frequency, λ_c , and Altitude






Figure 10. Parameter β^* of the Gamma Distribution of Meridional Component Gust During February at Cape Kennedy as a Function of Filter Cut-Off Frequency, λ_c , and Altitude

of γ and β at all altitudes. To date, this approach has not yielded acceptable results; the calculated values at the extreme altitudes exhibit large fluctuations which are unrealistic.

B. GUST VARIABILITY

Gust variability is described here in terms of the variability of the theoretical univariate gamma distribution as a function of altitude, month, and filter type.

The maximum variation of gust amplitude in the 4-14 km altitude range occurs between 6 and 12 km; the variation, for u component February data in three wavelength ranges is illustrated in Figure 11. It is clearly indicated that gust magnitude is a function of altitude for all of the wavelength ranges.

February and July theoretical gamma distributions of u component gust at 12 km are illustrated in Figure 12 for four wavelength ranges. The larger gust magnitude during February at all percentiles is clearly shown. April distributions not plotted here have percentiles that are somewhat less than the February values, but are significantly larger when compared to July values.

The variation of gust distribution with filter type for the months of February, April, and July is illustrated in Figures 13 through 15. As illustrated in Figures 16 through 18, percentiles of the distribution of u component gust for filtered Jimsphere data over a wavelength range from 90 to γ_c can be estimated from the empirical equation

$$|u'|_p = d_0 + d_1\gamma_c + d_2\gamma_c^2 \quad (16)$$

where $|u'|_p$ is the gust percentile in meters per second and γ_c is in meters.

The constants d_0 , d_1 , and d_2 are listed in Table 2. Due to a lack of supporting data, Equation 16 is valid for γ_c from 100 meters to 6000 meters.

The plotted symbols in Figure 13 represent the observed gust distributions at 12 km during February for each wavelength band. It is indicated that there is a good agreement between the observed and theoretical distributions.




Figure 11. Variability of Theoretical (Gamma) Distribution of Zonal Component Gust During February at Cape Kennedy as a Function of Altitude for Various Cut-Off Frequencies, λ_c




Figure 12. Theoretical (Gamma) Distribution of Zonal Component Gust at 12 km during July and February for $\lambda_c = 997$ and 6000 meters




Figure 13. Theoretical (Gamma) and Observed Probability Distribution of u-Component Gust at 12 km During February at Cape Kennedy




Figure 14. Theoretical (Gamma) Probability Distribution of u-Component Gust at 12 km During April at Cape Kennedy




Figure 15. Theoretical (Gamma) Probability Distribution of u-Component Gust at 12 km During July at Cape Kennedy




Figure 16. Empirical Functions (From Equation 16) for Percentiles of u-Component Gust at 12 km During February




Figure 17. Empirical Functions (From Equation 16) for Percentiles of u-Component Gust at 12 km During April




Figure 18. Empirical Functions (From Equation 16) of U-Component Gust at 12 km During July

Table 2. Parameters d_0 , d_1 , and d_2 of Equation 16
for the 50, 90, 95, and 99 Percentile of
 $|u'|$

<u>Percentile</u>	<u>Month</u>	<u>$d_0(\text{ms}^{-1})$</u>	<u>$d_1(\text{s}^{-1})$</u>	<u>$d_2(\text{s}^{-1}\text{m}^{-1})$</u>
50	February	-.001591	.001067	-5.9011 x 10^{-8}
	April	.177955	.000889	-4.4465 x 10^{-8}
	July	.042273	.000491	-2.1179 x 10^{-9}
90	February	.051364	.002288	-1.4034 x 10^{-7}
	April	.035227	.001932	-1.2065 x 10^{-7}
	July	.095000	.000987	-5.2348 x 10^{-9}
95	February	.007045	.002776	-1.7370 x 10^{-7}
	April	.090227	.002229	-1.3334 x 10^{-7}
	July	.111364	.001209	-1.1429 x 10^{-8}
99	February	.030682	.003855	-2.5348 x 10^{-7}
	April	.767955	.001987	-3.6534 x 10^{-8}
	July	.197727	.001589	-1.4086 x 10^{-8}

SECTION V. CONCLUSIONS

This interim report has been prepared to document and briefly summarize the work performed during the first 6 months of this study. To date, all the statistical and computational techniques required to successfully complete the work under the contract have been established and partially implemented. The computer output given in the Appendices illustrates but does not represent all of the computations performed during the first half of the contract. From the results obtained so far, it is concluded that the objectives of the contract will be satisfied within the imposed time and budget constraints.

The preliminary analysis of the gust data indicates a strong variability with altitude, season, and wavelength regime. An extension of the analyses to include a number of additional months and to include conditional distributions of gust magnitude given gust length, distributions of gust modulus, and phase differences between gust components has begun and will be completed during the next 2 months. At that time, all the necessary data for the vector wind gust model will have been generated.

SECTION VI. FINANCIAL SUMMARY

	Exact; Based on Data through <u>9/28/69</u>	Estimate; 6-Month Period Through <u>10/9/79</u>
Cumulative Cost (For period beginning 10 April 1979)	\$21,497.41	\$22,730
Cost to Complete Contract:	28,487.59	27,255
Total Cost:	49,985.00	49,985
Total Negotiated Cost:	49,985.00	49,985
Estimated Percentage of Physical Completion of Contracted Effort	43	45

SECTION VII. REFERENCES


1. Adelfang, S. I., and Court, A.: Jimsphere Wind and Turbulence Exceedance Statistics. NASA CR-2118, NASA, Washington, D.C., August 1972.
2. Luers, J., and Engler, N.: On Optimum Methods for Obtaining Wind Data from Balloon Sensors. Journal of Applied Meteorology, Vol. 6, No. 5, October 1967, pp. 816-823.
3. DeMandel, R. E., and Krivo, S. J.: Study to Improve the Accuracy and Resolution of FPS-16 Radar/Jimsphere Wind Measurements. Lockheed Missiles and Space Company Final Report under NASA Contract NAS8-26128, June 1971.
4. Brown, S. C.: 150 Per Month Jimsphere Wind Speed Profiles for Aerospace Vehicle Design Capability Studies, KSC, Florida. NASA Document NASA/MSFC-ES81, February 1978.
5. DeMandel, R. E., and Krivo, S. J.: Selecting Digital Filters for Application to Detailed Wind Profiles. NASA CR-61325, 1971.
6. Adelfang, S. I.: Wind Profiles for Space Shuttle Loads Analysis. Science Applications Report SAI-79-819HV for NASA/MSFC under Contract NAS8-32839, December 1978.
7. Thom, H. C. S.: Some Methods of Climatological Analysis. WMO Technical Note 81, WMO-MO.199.TP.103, 1966.

APPENDIX A. DATA DISPLAY


This appendix consists of plots of the data analyzed in this study for the month of February at six reference altitudes (4, 6, 8, 10, 12, and 14 kilometers) and for four filters. For the sake of brevity, additional plots for April and July which have been completed are not included in this report.

Another type of data display which consists of plots of all the filtered profiles, four to a page, is under development and is near completion. These will be furnished to the contract monitor during the second half of the contract.


STATION(1288) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 4000 WAVELENGTH RANGE 90-420M




STATION(12868) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 4000 WAVELENGTH RANGE 90-420M




STATION(12868) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 6000 WAVELENGTH RANGE 90-420nm




STATION(12868) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 6000 WAVELENGTH RANGE 90-420M




STATION(12868) CAPE KENNEDY JIMSPHERE DATA
MONTH 2 REFERENCE ALTITUDE 8000 WAVELENGTH RANGE 90-420M




STATION: 1968) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 8000 WAVELENGTH RANGE 90-420M




STATION(12888) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 10000 WAVELENGTH RANGE 90-420M




STATION(12688) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 10000 WAVELENGTH RANGE 90-420M




STATION(12030) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 12000 WAVELENGTH RANGE 90-420M




STATION(12888) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 12000 WAVELENGTH RANGE 90-420M





STATION(12868) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 14000 WAVELENGTH RANGE 90-14204




STATION(12868) CAPE KENNEDY JINSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 14000 WAVELENGTH RANGE 90-4204














STATION(12868) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 6000 WAVELENGTH RANGE 90-997M





















STATION(12688) CAPE KENNEDY JINSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 14000 WAVELENGTH RANGE 80-997M







STATION(12889) CAPE KENNEDY JINSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 4000 WAVELENGTH RANGE 90-24701








STATION(1220) CAPE KENNEDY JINSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 0000 WAVELENGTH RANGE 80-2470M




















STATION(1288) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 12000 WAVELENGTH RANGE 90-2470M




STATION(12888) CAPE KENNEDY JINSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 14000 WAVELENGTH RANGE 90-2470M





STATION(1288) CAPE KENNEDY JINSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 14000 WAVELENGTH RANGE 90-24701







STATION(12868) CAPE KENNEDY JINSPHERE DATA
MONTH 2 REFERENCE ALTITUDE 4000 WAVELENGTH RANGE 90-8000M¹













STATION(12880) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 8000 WAVELENGTH RANGE 90-8000M







STATION(12888) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 10000 WAVELENGTH RANGE 80-6000M






STATION(1288) CAPE KENNEDY JIMSPHERE DATA
 MONTH 2 REFERENCE ALTITUDE 12000 WAVELENGTH RANGE 90-6000M







APPENDIX B. GUST STATISTICS

This Appendix contains gust and gust length statistics at six reference altitudes (4, 6, ..., 14 km) for the month of February at KSC for four wavelength ranges. Statistics calculated for the months of April and July have been calculated, but are not included in this Appendix.

The notation in the computer output format does not correspond exactly with that used in the body of this report. The following differences are noted:

Text	Table	Definition
u'	ABS(u MAX)	Absolute value of u component gust
v'	ABS(v MAX)	Absolute value of v component gust

Units are not noted in the tables. Gust is expressed in meters/second and gust length in meters.

Variances and covariances and correlations are summarized in symmetric matrix tables. A matrix code and definitions of the various elements are provided at the top of each page.

Means, standard deviations, and gamma distribution parameters, γ and β , are listed for each variable. In addition, the mean and standard deviation of the altitude difference between u component gust and v component gust is also listed (UHMAX-VHMAX).

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 400JM
 WAVELENGTH RANGE : 90-420M

X(1)=ABS(U MAX) X(3)=ABS(V MAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE
 11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

.0551	5.9570	.0133	.2578
5.9570	4699.4781	-.0106	788.7619
.0133	-.0106	.0632	8.0874
.2578	788.7617	8.0874	5592.0646

CORRELATION MATRIX

1.0000	.3702	.2259	.0147
.3702	1.0000	-.0006	.1539
.2259	-.0006	1.0000	.4302
.0147	.1539	.4302	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	.3926	142.3911	.4023	154.4666
SD	.2347	68.5527	.2514	74.7801
GAMMA	2.7977	4.3144	2.5620	4.2666
BETA	7.1252	.0303	6.3677	.0276

UHMAX - VHMAX

MEAN = -2.8333
 SD = 77.2067

ION(12868) - CAPE KENNEDY

JIMSPHERE

H : 2

RENCE ALTITUDE : 6000M

LENGTH RANGE : 90-420M

=ABSTUMAX)

X(3)=ABSTUMAX)

=LU

X(4)=LV

OT MATRIX CODE

12 13 14

22 23 24

33 34

44

IANCE - COVARIANCE MATRIX

.0446

5.1564

.0112

.5766

5.1564

4727.7195

1.3530

324.5191

.0112

1.3530

.0402

7.5213

.5766

324.5189

7.5213

4060.0126

RELATION MATRIX

1.0000

.3550

.2650

.0428

.3550

1.0000

.0982

.0741

.2650

.0982

1.0000

.5888

.0428

.0741

.5888

1.0000

X(1)

X(2)

X(3)

X(4)

N .3895

149.8187

.3521

133.4203

.2112

68.7584

.2005

63.7182

MA 3.0595

.7477

3.0842

4.3845

A 8.2808

.0317

8.7604

.0329

MAX = VMAX

N = 9.8333

= 84.4890

ION(12868) - CAPE KENNEDY

JIMSPHERE

H: 2

RENCE ALTITUDE : 8010M

LENGTH RANGE : 93-42UM

ABS(UMAX)

X(3)=ABS(VMAX)

=LU

X(4)=LV

UT MATRIX CODE

12 13 14

22 23 24

33 34

44

ANCE - COVARIANCE MATRIX

.0621	5.6281	.9124	-.6573
5.6281	5168.0443	2.1000	781.5797
.9124	2.1000	.9493	4.6474
-.6573	781.5797	4.6474	3525.5329

RELATION MATRIX

1.0000	.3142	.2247	-.0444
.3142	1.0000	.1318	.1631
.2247	.1318	1.0000	.3532
-.0444	.1631	.3532	1.0000

	X(1)	X(2)	X(3)	X(4)
N	.4048	135.5096	.3712	128.6076
	.2492	71.8891	.2216	59.3762
MA	2.6387	3.5532	2.8059	4.6915
A	6.5191	.0262	7.5590	.0365

AX - VMAX

N = 8.8333
= 79.0642

ORIGINAL PAGE IS
OF POOR QUALITY

ION(12888) - CAPE KENNEDY

JIMSPHERE

M : 2

RENCE ALTITUDE : 100'00"

LENGTH RANGE : 90-42'00"

SUBSTUMAXI

X(3)=ABS(VMAX)

=LU

X(4)=LV

UT MATRIX CODE

12 13 14

22 23 24

33 34

44

IANCE - COVARIANCE MATRIX

.0726

3.8788

.0279

1.8413

3.8788

3462.0376

1.1599

883.1332

.0279

1.1599

.0896

3.3187

1.8413

883.1332

3.3187

3780.0763

RELATION MATRIX

1.0000

.2439

.3453

.1111

.2439

1.0000

.0657

.2434

.3453

.0657

1.0000

.1803

.1111

.2434

.1803

1.0000

X(1)

X(2)

X(3)

X(4)

N

.4499

117.1096

.4561

113.3351

.2695

59.0087

.2993

61.4823

IMA

2.7884

3.9387

2.3220

3.3980

A

6.1971

.0336

5.0906

.0300

MAX - VMAX

N

6.6667

=

70.5721

ION(12868) - CAPE KENNEDY

---JIMSPHERE---

M: 2

RENCE ALTITUDE : 120'OM

LENGTH RANGE : 90-42'OM

---RBS(VMAX)

X(3)=AUS(VMAX)

---LU

X(4)=LV

UT MATRIX CODE

12 13 14

22 23 24

33 34

44

IANCE - COVARIANCE MATRIX

.1195	7.8475	-.0029	.8519
7.8475	4140.3198	-1.5863	1080.1680
-.0029	-1.5863	.2256	7.5363
.8519	1080.1679	7.5363	4365.1946

RELATION MATRIX

1.0000	.3528	-.0124	.0373
.3528	1.0000	-.0519	.2541
-.0124	-.0519	1.0000	.2401
.0373	.2541	.2401	1.0000

X(1)

X(2)

X(3)

X(4)

N	.5196	107.3016	.7493	112.0315
	.3457	64.3453	.4750	66.0697
MA	2.2586	2.7808	2.4888	2.8752
A	4.3472	.0259	3.3212	.0257

AX - VMMAX

N = 6.3333

= 71.8398

LENGTH RANGE : 90-42CM

~~X(3)=ABS(VMAX)~~
X(4)=LV

0.1399	7.9855	0.7396	-1.5849
7.9855	4661.0539	-6.5039	308.1045
0.7396	-6.5039	0.2605	3.9066
-1.5849	368.1645	3.9066	2956.6901

1.0000	.3128	.2077	-.0779
.3128	1.0000	-.1866	.0992
.2077	-.1866	1.0000	.1408
-.0779	.0992	.1408	1.0000

N	.6172	105.7011	.0537	96.6665
	.3740	68.2719	.5104	54.3755
MA	2.7237	2.3970	2.7977	3.1604
A	4.4151	.0227	3.2771	.0327

$\frac{1}{2} = 1.3333$
 $\frac{1}{3} = 33.3333$

ORIGINAL PAGE IS
OF 82200000

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 4000M
 WAVELENGTH RANGE : 90-997M

X(1)=ABS(UHMAX)
 X(2)=LU

X(3)=ABS(VHMAX)
 X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

.1907	20.6399	.0815	11.0066
20.6399	13979.4832	3.9736	976.3557
.0815	3.9736	.2704	24.3058
11.0066	976.3565	24.3056	15267.5662

CORRELATION MATRIX

1.0000	.3998	.3588	.2040
.3998	1.0000	.0646	.0660
.3588	.0646	1.0000	.3783
.2040	.0668	.3783	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	.8367	266.9105	.9296	288.7235
SD	.4366	118.2349	.5200	123.5620
GAMMA	3.6720	5.0961	3.1964	5.4600
BETA	4.3685	.0191	3.4383	.0189

UHMAX - VHMAX

MEAN = 4.8333
 SD = 140.4600

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 6000M
 WAVELENGTH RANGE : 90-997M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

.2123	31.3989	.0430	.2003
31.3989	15356.4344	3.1730	-806.5260
.0430	3.1730	.2036	26.1082
.2003	-806.5252	26.1082	15997.6447

CORRELATION MATRIX

1.0000	.5500	.2067	.0034
.5500	1.0000	.0567	-.0515
.2067	.0567	1.0000	.4575
.0034	-.0515	.4575	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	.8042	264.9831	.8258	289.2602
SD	.4607	123.9211	.4512	126.4826
GAMMA	3.0471	4.5724	3.3494	5.2302
BETA	3.7889	.0173	4.0559	.0181

UHMAX - VHMAX

MEAN = -1.6667
 SD = 152.4593

ORIGINAL PAGE IS
 UNCLASSIFIED

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 8000M
 WAVELENGTH RANGE : 90-997M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

.2422	28.3946	.0656	5.1666
28.3946	15267.6383	6.9213	1483.3775
.0656	6.9213	.1937	27.0713
5.1666	1483.3775	27.0713	17580.6475

CORRELATION MATRIX

1.0000	.4669	.3029	.0795
.4669	1.0000	.1273	.0905
.3029	.1273	1.0000	.4639
.0795	.0905	.4639	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	.8224	256.8174	.8006	268.2373
SD	.4921	123.5623	.4401	132.5925
GAMMA	2.7925	4.3199	3.3089	4.0927
BETA	3.3954	.0166	4.1330	.0153

UHMAX - VHMAX

MEAN = -12.1667
 SD = 140.6700

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 10000M
 WAVELENGTH RANGE : 90-997M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

.2707	25.8320	.0645	7.3788
25.8320	16098.7533	-1.0854	2705.7047
.0845	-1.0854	.3495	43.3172
7.3788	2705.7051	43.3172	18895.7263

CORRELATION MATRIX

1.0000	.3913	.2743	.1032
.3913	1.0000	-.0145	.1551
.2748	-.0145	1.0000	.5330
.1032	.1551	.5330	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	.8449	230.1564	.9107	227.2907
SD	.5203	126.8809	.5912	137.4617
GAMMA	2.6372	3.2904	2.3731	2.7340
BETA	3.1212	.0143	2.6057	.0120

UHMAX - VHMAX

MEAN = -15.0000
 SD = 131.9701

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 12000M
 WAVELENGTH RANGE : 90-997M

X(1)=ABS(U MAX) X(3)=ABS(V MAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

.5130	46.1336	.1365	7.5969
46.1336	16722.6099	8.0648	2929.9388
.1365	8.0648	.6394	33.5854
7.5969	2929.9388	33.5854	17809.3547

CORRELATION MATRIX

1.0000	.4981	.2384	.0795
.4981	1.0000	.0780	.1698
.2384	.0780	1.0000	.3147
.0795	.1698	.3147	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	1.1532	239.2719	1.4140	238.5037
SD	.7162	129.3159	.7996	133.4517
GAMMA	2.5924	3.4236	3.1270	3.1941
BETA	2.2480	.0143	2.2114	.0134

UHMAX - VHMAX

MEAN = -9.3333
 SD = 122.8352

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 14000M
 WAVELENGTH RANGE : 90-997M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

.5529	47.3703	.1626	-.3528
47.3703	19534.8958	11.9265	6094.8087
.1626	11.9265	.8662	55.8180
-.3528	6094.8087	55.8180	19717.4622

CORRELATION MATRIX

1.0000	.4558	.2349	-.0034
.4558	1.0000	.0917	.3105
.2349	.0917	1.0000	.4271
-.0034	.3105	.4271	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	1.2316	235.0146	1.6460	224.0275
SD	.7436	139.7673	.9307	140.4185
GAMMA	2.7435	2.8273	1.1354	2.5454
BETA	2.2276	.0120	1.9026	.0114

UHMAX - VHMAX

MEAN = 20.5000
 SD = 136.8715

STATION(12863) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 4000M
 WAVELENGTH RANGE : 90-2470M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE
 11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

.7848	178.5826	.1223	6.6630
178.5826	101969.8516	21.1326	20088.7583
.1223	21.1326	.8987	118.6293
6.6630	20088.7549	118.6293	102376.1560

CORRELATION MATRIX

1.0000	.6313	.1456	.0235
.6313	1.0000	.0698	.1966
.1456	.0698	1.0000	.3918
.0235	.1966	.3918	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	1.6373	650.6027	1.7607	580.8709
SD	.8859	319.3272	.9480	319.9626
GAMMA	3.4160	3.5379	3.4047	3.2958
BETA	2.0864	.0059	1.9691	.0057

UHMAX - VHMAX

MEAN = 26.9333
 SD = 344.8701

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 6000M
 WAVELENGTH RANGE : 90-2470M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11	12	13	14
	22	23	24
		33	34
			44

VARIANCE - COVARIANCE MATRIX

.8097	163.9941	.1737	25.4684
163.9941	101781.7549	35.3022	11306.5402
.1737	35.3022	.9327	172.1056
25.4684	11306.5369	172.1056	103849.6641

CORRELATION MATRIX

1.0000	.5712	.1998	.0878
.5712	1.0000	.1146	.1100
.1998	.1146	1.0000	.5530
.0878	.1100	.5530	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	1.6215	579.4374	1.8557	667.0985
SD	.8999	319.0325	.9658	322.2556
GAMMA	3.2476	3.2987	3.6922	4.2853
BETA	2.0025	.0057	1.9896	.0064

UHMAX - VHMAX

MEAN = 33.8333
 SD = 323.4947

STATION(12868) = CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH: 2
 REFERENCE ALTITUDE : 80COM
 WAVELENGTH RANGE : 90-2470M

X(1)=ABS(U MAX) X(3)=ABS(V MAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11	12	13	14
	22	23	24
		33	34
			44

VARIANCE - COVARIANCE MATRIX

.8802	182.1108	.1025	5.3288
182.1108	125070.8184	55.7825	12872.1879
.1025	55.7825	1.1478	249.1447
5.3288	12872.1879	249.1447	118722.7373

CORRELATION MATRIX

1.0000	.5489	.1020	.0165
.5489	1.0000	.1472	.1056
.1020	.1472	1.0000	.6749
.0165	.1056	.6749	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	1.7162	593.9193	1.8110	619.8135
SD	.9382	353.6535	1.0714	344.5617
GAMMA	3.3461	2.8203	2.8574	3.2358
BETA	1.9497	.0047	1.5778	.0052

UHMAX - VHMAX

MEAN =	28.1667
SD =	412.4153

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 10000M
 WAVELENGTH RANGE : 90-2470M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

1.1761	234.1799	.3624	36.5282
234.1799	134705.0801	57.3934	26702.6643
.3624	57.3933	1.7801	274.1405
36.5282	26702.6643	274.1405	147718.2207

CORRELATION MATRIX

1.0000	.5884	.2504	.0876
.5884	1.0000	.1172	.1893
.2504	.1172	1.0000	.5346
.0876	.1893	.5346	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	1.8983	639.1374	2.2487	680.2996
SD	1.0845	367.0219	1.3342	384.3413
GAMMA	3.0639	3.0325	2.8406	3.1330
BETA	1.6141	.0047	1.2632	.0046

UHMAX - VHMAX

MEAN = 46.3333
 SD = 367.1538

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 14000M
 WAVELENGTH RANGE : 90-2470M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

2.4842	330.7785	1.0129	66.8272
330.7785	137739.2266	77.2983	31492.4429
1.0129	77.2983	4.0031	390.6417
66.8272	31492.4463	390.6417	121945.9121

CORRELATION MATRIX

1.0000	.5655	.3212	.1214
.5655	1.0000	.1041	.2430
.3212	.1041	1.0000	.5591
.1214	.2430	.5591	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	2.8799	639.7771	3.5663	587.8611
SD	1.5761	371.0919	2.0008	349.2076
GAMMA	3.3385	2.9723	3.1772	2.8339
BETA	1.1593	.0046	.8909	.0048

UHMAX - VHMAX

MEAN = 15.6667
 SD = 368.6833

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 4000M
 WAVELENGTH RANGE : 90-6000M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

2.6504	462.5779	-.3647	-208.4491
462.5779	170799.2227	-149.7229	-76066.6133
-.3647	-149.7228	1.7712	638.3315
-208.4491	-76066.6133	638.3315	446166.7695

CORRELATION MATRIX

1.0000	.6875	-.1683	-.1917
.6875	1.0000	-.2722	-.2756
-.1683	-.2722	1.0000	.7181
-.1917	-.2756	.7181	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	1.9114	625.1430	2.0017	606.1550
SD	1.6280	413.2786	1.3309	667.9572
GAMMA	1.3784	2.2881	2.2621	.8235
BETA	.7212	.0037	1.1301	.0014

UHMAX - VHMAX

MEAN = -62.5000
 SD = 658.6383

ORIGINAL PAGE IS
 OF POOR QUALITY

STATION 129681 - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 12000M
 WAVELENGTH RANGE : 90-2470M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

2.9428	338.0330	.7783	84.8580
338.0330	113818.4629	80.1879	29900.9897
.7783	80.1879	3.2297	413.8292
84.8581	29900.9932	413.8292	156212.3945

CORRELATION MATRIX

1.0000	.5841	.2525	.1252
.5841	1.0000	.1323	.2242
.2525	.1323	1.0000	.5826
.1252	.2242	.5826	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	2.6323	576.8489	3.0654	607.4380
SD	1.7154	337.3699	1.7971	395.2372
GAMMA	2.3545	2.9236	2.9095	2.3618
BETA	.8945	.0051	.9491	.0039

UHMAX - VHMAX

MEAN = -18.1667
 SD = 322.5626

STATION(12868) = CAPE KENNEDY
 DATA = JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 6000M
 WAVELENGTH RANGE : 90-6000M

X(1)=ABS(UMAX) X(3)=ABS(VMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

2.8014	933.5877	.8454	189.8227
933.5877	566843.5859	350.0473	118800.5986
.8454	350.0472	3.3736	706.7689
189.8227	118800.5850	706.7689	398521.6445

CORRELATION MATRIX

1.0000	.7409	.2750	.1797
.7409	1.0000	.2531	.2500
.2750	.2531	1.0000	.6095
.1797	.2500	.6095	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	2.6902	1115.4594	3.2117	1174.5381
SD	1.6737	752.8902	1.8367	631.2857
GAMMA	2.5834	2.1950	3.0577	3.4616
BETA	.9603	.0020	.9520	.0029

UMMAX = VMAX

MEAN = 50.5068
 SD = 615.4161

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 8000M
 WAVELENGTH RANGE : 90-6000M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

3.5021	1184.2853	.9022	169.3388
1184.2853	735397.3359	312.5666	55322.5503
.9022	312.5666	4.3073	1018.4218
169.3388	55322.5503	1018.4218	523272.6680

CORRELATION MATRIX

1.0000	.7380	.2323	.1251
.7380	1.0000	.1756	.0892
.2323	.1756	1.0000	.6784
.1251	.0892	.6784	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	3.2008	1220.9341	3.3275	1214.9832
SD	1.8714	857.5531	2.0754	723.3759
GAMMA	2.9254	2.0270	2.5705	2.8211
BETA	.9140	.0017	.7725	.0023

UHMAX - VHMAX

MEAN = -48.5000
 SD = 673.3059

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 10000M
 WAVELENGTH RANGE : 90-6000M

X(1)=ABS(UHMAX) X(3)=ABS(VHMAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

5.7804	1457.2729	1.7423	326.4252
1457.2729	674544.5859	351.4210	116873.2617
1.7423	351.4211	8.6636	1178.0950
326.4252	116873.2617	1178.0950	528037.8984

CORRELATION MATRIX

1.0000	.7380	.2462	.1868
.7380	1.0000	.1454	.1958
.2462	.1454	1.0000	.5508
.1868	.1958	.5508	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	3.7574	1377.6360	4.2515	1233.9004
SD	2.4042	821.3066	2.9434	726.6622
GAMMA	2.4424	2.8135	2.0864	2.8833
BETA	.6500	.0020	.4907	.0023

UHMAX - VHMAX

MEAN = -48.5000
 SD = 844.5355

STATION(12868) - CAPE KENNEDY
 DATA - JIMSPHERE
 MONTH : 2
 REFERENCE ALTITUDE : 12000M
 WAVELENGTH RANGE : 90-6000M

X(1)=ABS(U MAX) X(3)=ABS(V MAX)
 X(2)=LU X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
 22 23 24
 33 34
 44

VARIANCE - COVARIANCE MATRIX

8.8797	1855.3629	2.5244	121.3086
1855.3630	922407.7031	50.7343	-63972.6841
2.5244	50.7343	10.1483	1461.5043
121.3086	-63972.6841	1461.5043	520353.0469

CORRELATION MATRIX

1.0000	.6483	.2659	.0564
.6483	1.0000	.0166	-.0923
.2659	.0166	1.0000	.6360
.0564	-.0923	.6360	1.0000

	X(1)	X(2)	X(3)	X(4)
MEAN	4.8647	1356.6716	5.2280	1147.0913
SD	2.9799	960.4206	3.1856	721.3550
GAMMA	2.6651	1.9954	2.6933	2.5287
BETA	.5478	.0015	.5152	.0022

U MAX - V MAX

MEAN = -48.5000
 SD = 684.5750

STATION(12868) - CAPE KENNEDY

DATA - JIMSPHERE

MONTH : 2

REFERENCE ALTITUDE : 14000M

WAVELENGTH RANGE : 90-6000M

X(1)=ABS(UHMAX)

X(3)=ABS(VHMAX)

X(2)=LU

X(4)=LV

OUTPUT MATRIX CODE

11 12 13 14
22 23 24
33 34
44

VARIANCE - COVARIANCE MATRIX

6.0018	1150.3496	1.6439	185.3245
1150.3496	780012.9531	11.7362	118126.4102
1.6439	11.7362	9.3960	1291.0477
185.3245	118126.3965	1291.0477	495277.6680

CORRELATION MATRIX

1.0000	.5317	.2189	.1075
.5317	1.0000	.0043	.1901
.2189	.0043	1.0000	.5985
.1075	.1901	.5985	1.0000

X(1)

X(2)

X(3)

X(4)

MEAN	5.0082	1310.8749	5.4234	1031.1996
SD	2.4499	883.1834	3.0653	703.7597
GAMMA	4.1791	2.2030	3.1304	2.1470
BETA	.8345	.0017	.5772	.0021

UHMAX - VHMAX

MEAN = -88.4354
SD = 669.4167

APPENDIX C. THEORETICAL PROBABILITIES

This appendix contains lists of probabilities, $P(X)$, where

$$P(X) = \int_0^X f(x) dx$$

where $f(x)$ is the univariate gamma probability density function derived from the parameters γ and β^1 calculated from sample statistics. The univariate gamma distribution and its parameters are defined in Section II. These theoretical probabilities are calculated for absolute component gusts and associated gust lengths for the month of February at Cape Kennedy for six reference altitudes (4, 6, ..., 14 km) and four wavelength ranges.

Similar sets of probability calculations have been completed for the months of April and July, but are not included in this Appendix.

The notation in the computer output format does not correspond exactly with that used in the body of this report; refer to the table in Appendix B for an explanation of the differences.

¹ The parameter "beta" listed in the computer listings is β^* ; where $\beta^* = 1/\beta$.

STATION: CAPE KENNEDY

DATA: JIMSPHERE

MONTH: 2

WAVELENGTH RANGE: 90-420 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

ABS UMAX (M/S)

ALT (KM)	5	10	12	14
GAMMA	2.797733058	2.538634137	2.258639831	2.723749223
BETA	.140347043	.153396269	.230032185	.226597581

ORIGINAL PAGE IS
OF POOR QUALITY

X	P(X)	P(X)	P(X)	P(X)
.0625	.014007638	.013989146	.017891020	.011527110
.1250	.081459056	.080364286	.084207366	.060648222
.1875	.186553928	.193356270	.186344715	.143658474
.2500	.310182050	.328415263	.304637388	.246722046
.3125	.434902534	.453843930	.423370705	.356585339
.3750	.549705632	.596119529	.533943452	.463514362
.4375	.649146147	.689086482	.630495705	.551484747
.5000	.731613733	.771591455	.711785017	.647463724
.5625	.797831714	.835287327	.778232098	.720524929
.6250	.849675737	.893060932	.831311174	.791073451
.6875	.889156473	.918075226	.872941054	.932257714
.7500	.919482380	.943257946	.905104995	.869227456
.8125	.941816752	.961087145	.929456797	.920546052
.8750	.958287850	.973543420	.948175933	.924690977
.9375	.970274821	.982194745	.962032195	.943321496
1.0000	.978934214	.998032110	.972333637	.955574591
1.0625	.985142027	.992022333	.979913234	.969397461
1.1250	.989564814	.994707502	.985473632	.975561524
1.1875	.992695749	.996502243	.989531562	.982683964
1.2500	.994900897	.997694537	.992471531	.987251297
1.3125	.996446647	.998446647	.994594917	.992064251
1.3750	.997525528	.999000236	.996122524	.993149593
1.4375	.998275533	.999339245	.997212758	.994925959
1.5000	.998795085	.999562047	.997999774	.995350984
1.5625	.999153845	.999703253	.998557359	.995767235
1.6250	.999400832	.999796478	.998953335	.996064697
1.6875	.999570132	.999856241	.999233872	.996159305
1.7500	.999686323	.999894701	.999432184	.996171589
1.8125	.999765530	.999912313	.999572061	.996247491
1.8750	.999817465	.999943986	.999673457	.996346598
1.9375	.999856122	.999944910	.999733528	.996390226
2.0000	.999880962	.999951214	.999787956	.996396331
2.0625	.999897156	.999955177	.999821812	.996371505
2.1250	.999909148	.999957521	.999845453	.996215795
2.1875	.999915755	.999959134	.999861911	.996258513
2.2500	.999921858	.999960020	.999873314	.996285504
2.3125	.999925226	.999960549	.999882102	.996294946
2.3750	.999927454	.999960700	.999885625	.9962918510

2.4375	.999928899	.999960892	.999892335	.999928333	.999333486	.993021895
2.5000	.999929923	.999960966	.999892861	.999935202	.999435922	.993221645
2.5625	.999930426	.999960966	.999893559	.999940082	.999518238	.993379911
2.6250	.999930732	.999960966	.999893662	.999943510	.999582142	.993505170
2.6875	.999930943	.999960966	.999893429	.999945916	.999632234	.993604166
2.7500	.999931000	.999960966	.999893809	.999947593	.999671638	.993682367
2.8125	.999931045	.999960966	.999893040	.999948747	.999702451	.993744028
2.8750	.999931045	.999960966	.999893167	.999949552	.999725333	.993792521
2.9375	.999931045	.999960966	.999893264	.999950051	.999745481	.993943084
3.0000	.999931045	.999960966	.999893264	.999950439	.999763240	.993860972

STATION: CAPE KENNEDY

DATA: JIMSPHERE

MONTH: 2

WAVELENGTH RANGE: 90-420 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

A35_VMAX (M/S)

ALT (KM)	5	10	12	14
GAMMA	2.562003404	2.321975201	2.498759499	2.737729015
BETA	.157043364	.13223115	.301021553	.335143457
X	P(X)	P(X)	P(X)	P(X)
.3625	.019852504	.015507304	.023269193	.002169729
.1250	.089460052	.08685570	.032366365	.013044832
.1875	.193632434	.211201981	.206685971	.050624572
.2500	.312343303	.358572536	.33895428	.10777731
.3125	.430661105	.435000578	.469119156	.375954531
.3750	.539551874	.618682049	.585933869	.473791941
.4375	.634602033	.720189661	.684568732	.562628530
.5000	.714508115	.759411662	.764275937	.643762731
.5625	.772808438	.858955532	.826633443	.737964322
.6250	.832015455	.902419001	.874197915	.815083231
.6875	.873536620	.934411673	.909748018	.875244323
.7500	.904808588	.955093465	.935883410	.911423309
.8125	.929123242	.970022075	.954833424	.949986151
.8750	.947549477	.981035449	.987705236	.981316170
.9375	.961382124	.989737323	.994016348	.995553991
1.0000	.971707542	.991501622	.980254580	.99736414
1.0625	.979352731	.994859449	.984836866	.99774379
1.1250	.984979481	.996437564	.989563278	.997705357
1.1875	.989103549	.997705236	.992851160	.997553718
1.2500	.992113125	.998523618	.995119505	.997272046
1.3125	.994295955	.999048986	.996655316	.997395005
1.3750	.995875744	.999384575	.997725837	.997684947
1.4375	.997015158	.999597222	.998445615	.997742234
1.5000	.997836144	.999733016	.999261498	.997996345
1.5625	.998423337	.999818154	.999483356	.998199139
1.6250	.998843993	.999871566	.999633347	.998332397
1.6875	.999143451	.999905109	.999729186	.998452308
1.7500	.999356520	.999925919	.999793705	.998516604
1.8125	.999507971	.999938069	.999833740	.998619316
1.8750	.999615245	.999946773	.999867707	.998732118
1.9375	.999691106	.999951551	.999895426	.998811937
2.0000	.999744524	.999954511	.999909358	.998942755
2.0625	.999783324	.999956377	.999920845	.999027329
2.1250	.999808878	.999957375	.999912985	.999060805
2.1875	.999827489	.999958741	.999915449	.999117653
2.2500	.999843543	.999959817	.999913577	.999169153
2.3125	.999849425	.999958299	.999922085	.999270652
2.3750	.999855921	.999958344	.999923344	.999328703
				.999574445

2.4375	.999860324	.999958344	.999921449	.999690272	.993750602	.987385016
2.5000	.999863319	.999958344	.999921607	.999716811	.994743436	.992995146
2.5625	.999865390	.999958344	.999921821	.999736749	.995580845	.992367394
2.6250	.999866769	.999958344	.999921918	.999751739	.996285385	.993535586
2.6875	.999867555	.999958344	.999921918	.999762915	.996980352	.994529061
2.7500	.999868311	.999958344	.999921918	.999771290	.997379996	.995373085
2.8125	.999868616	.999958344	.999921918	.999777518	.997799903	.995089466
2.8750	.999868818	.999958344	.999921918	.999782145	.998152594	.996696897
2.9375	.999868922	.999958344	.999921918	.999785595	.998449551	.997211561
3.0000	.999869011	.999958344	.999921918	.999788143	.998696759	.997647233

ORIGINAL PAGE IS
OF POOR QUALITY

STATION: CAPE KENNEDY
DATA: JIMSPHERE

MONTH: 2

WAVELENGTH RANGE: 90-420 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

(U (M)

ALT (KM)	9	10	12	14
GAMMA	9.314357017	3.553154610	2.700022995	2.377036015
BETA	33.004011154	38.137836456	29.733096699	44.076566200

K	P(K)	P(K)	P(K)	P(K)
5.0000	.000006603	.030001777	.000052604	.000665712
10.0000	.000116180	.000091931	.000553694	.00213203
15.0000	.000502693	.002252535	.002137460	.011063491
20.0000	.001616910	.000609964	.005373459	.029073310
25.0000	.004218667	.002207332	.010745213	.050835514
30.0000	.008218577	.004616564	.018603140	.061805711
35.0000	.014188123	.008452309	.029145170	.086784357
40.0000	.022423367	.01400627	.042469394	.115005885
45.0000	.033133101	.021657686	.058551237	.143266496
50.0000	.046435540	.031514955	.072293242	.175397761
55.0000	.062361239	.043752396	.098507309	.210932713
60.0000	.080862051	.059435573	.124033113	.246395733
65.0000	.101621596	.075561751	.154403716	.282350726
70.0000	.125167517	.095063162	.187195731	.319419684
75.0000	.150343957	.11680846	.221949729	.354279578
80.0000	.177523522	.140653832	.259180357	.387658403
85.0000	.206210367	.16636907	.29544137	.424330700
90.0000	.236190069	.193730591	.33292425	.459113000
95.0000	.267158084	.222499955	.371321712	.490859227
100.0000	.29846811	.252388671	.409160359	.524456340
105.0000	.330991317	.283156949	.445510702	.552020198
110.0000	.363341726	.314568940	.483071398	.581891716
115.0000	.395666525	.346338862	.51961327	.609633381
120.0000	.427754764	.379272973	.552950469	.635025921
125.0000	.459417410	.410135354	.585930409	.661065713
130.0000	.490487911	.441700852	.617441801	.684761356
135.0000	.520622190	.472047135	.647492908	.707134530
140.0000	.550298139	.503376171	.675750823	.728211269
145.0000	.579814760	.533156781	.702473640	.749027688
150.0000	.609293546	.562100527	.727550907	.765620727
155.0000	.638632443	.59081520	.751019612	.78053917
160.0000	.667466714	.617031991	.772092386	.794027996
165.0000	.691936339	.642092140	.793218598	.803352006
170.0000	.708778284	.665617957	.810099910	.815575000
175.0000	.726425074	.689180333	.823171393	.827773620
180.0000	.746877111	.71353561	.834185392	.842997012
185.0000	.766149536	.734733144	.845408567	.855299001
190.0000	.784749535	.754705940	.857230366	.865733504
195.0000	.801727731	.774733144	.869379843	.87339910
200.0000	.8176554	.794705940	.883253153	.88176654

195.0000	.801253527	.713646243	.916634324	.897420039	.902612813	.895287598
200.0000	.817148976	.791366975	.830595134	.937716952	.911232797	.909718946
205.0000	.831992527	.807976745	.843647890	.917383733	.919143385	.912513927
210.0000	.845819354	.823599902	.855831675	.925589152	.926401168	.917714667
215.0000	.858680502	.838004552	.867183349	.933299221	.933053076	.925361024
220.0000	.870619506	.851502046	.877752114	.940276973	.939143680	.932490908
225.0000	.881683052	.864062326	.887585074	.945582139	.944715127	.933193295
230.0000	.891918205	.875682046	.896705724	.952271104	.949807348	.943343170
235.0000	.901371829	.886456154	.905166666	.957396768	.954956732	.949131591
240.0000	.910909208	.896414983	.912994917	.962000692	.958692033	.952535726
245.0000	.918118123	.905604590	.920243137	.965152929	.962565539	.955583887
250.0000	.925501555	.914071463	.926933564	.969872244	.966389994	.963372658
255.0000	.932281835	.921860129	.933113021	.973206192	.969297349	.963716894
260.0000	.939499518	.929014459	.939813932	.975191275	.972215064	.965849811
265.0000	.949195226	.935576878	.944062155	.979861056	.974867485	.967230533
270.0000	.949405377	.941588141	.948902044	.981246240	.977277175	.972356834
275.0000	.954169119	.947087303	.953343344	.983375320	.979461356	.974769894
280.0000	.958514869	.952111539	.957428819	.985273071	.981453095	.975979747
285.0000	.962478369	.956695622	.961178445	.985963786	.983253342	.979002535
290.0000	.966088660	.960875727	.964617439	.988468401	.984881937	.983853312
295.0000	.969373874	.964680575	.967694774	.989406280	.986363028	.982445979
300.0000	.972363425	.968140963	.970655477	.993994774	.987693137	.984093390
305.0000	.975072965	.971284471	.973293970	.992049791	.988909170	.985507481
310.0000	.977534339	.974137485	.975715652	.992985457	.990304458	.985799270
315.0000	.979765699	.976724200	.977924563	.993814722	.990994652	.987789338
320.0000	.981787331	.979067144	.979942232	.994549096	.991882462	.989055574
325.0000	.983616941	.981197455	.981783779	.995198995	.992697739	.990393104
330.0000	.985278510	.983104452	.983464159	.995773566	.993427449	.990934394
335.0000	.986766912	.984836161	.984995991	.995281505	.994088035	.991751693
340.0000	.988117166	.986399122	.986394372	.995729963	.994680314	.992496759
345.0000	.989333544	.987808545	.987663060	.997125722	.995215848	.993175790
350.0000	.990434185	.989078797	.989823083	.997474782	.995693750	.993794404

STATION: CAPE KENNEDY
 DATA: JIMSPHERE
 MONITOR: 2
 WAVELENGTH RANGE: 90-420 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA
 (V IN)

ALTIM	9	6	9	10	12	14
GAMMA	4.266753395	4.304461303	4.691454961	3.398041243	2.87524975	3.150429001
SETA	36.202405683	30.430253029	27.413093335	33.353080273	39.964096546	30.593653702

	P(X)	P(X)	P(X)	P(X)	P(X)	P(X)
5.0000	.000005303	.000007319	.000004105	.000138862	.000477839	.003389228
10.0000	.000021445	.000133975	.000091408	.001310527	.003213634	.003096607
15.0000	.000461796	.000694357	.000528001	.004639974	.009411673	.009880974
20.0000	.001411515	.002148334	.001754977	.011777116	.019632053	.021742075
25.0000	.003277552	.005014479	.004320224	.021012543	.034001599	.039651269
30.0000	.006397304	.009793467	.008781314	.034923705	.052432551	.061715404
35.0000	.011078180	.016917356	.015627110	.052789509	.074839045	.083322214
40.0000	.017598671	.026717970	.02533915	.074459538	.100085567	.121258371
45.0000	.026095016	.039411945	.036169697	.099640418	.128441997	.155940509
50.0000	.036158610	.055100248	.054264787	.127941003	.159168638	.195184059
55.0000	.049635912	.073774321	.073665612	.159910250	.191775421	.235650035
60.0000	.064733104	.095328350	.096282321	.192067966	.225794263	.277480084
65.0000	.081992335	.119577946	.121957118	.225928746	.260914479	.320157794
70.0000	.101324337	.146274352	.150244477	.263302029	.296334911	.362675062
75.0000	.122589174	.175122915	.181079101	.299466114	.332092740	.404952496
80.0000	.145619005	.205798050	.213809670	.337145142	.367735979	.445419977
85.0000	.170233087	.237960242	.249323063	.379326598	.402987771	.485728929
90.0000	.196195150	.271262598	.283989309	.413229066	.437612929	.525601253
95.0000	.223320052	.305366274	.321472463	.447641160	.471414152	.562824048
100.0000	.251376572	.339948285	.357391316	.493111314	.504233693	.599242573
105.0000	.280157365	.374702215	.394395402	.517535090	.535934091	.631752964
110.0000	.309403049	.409379181	.431134453	.550752960	.565425510	.663295142
115.0000	.339035537	.443637278	.467323984	.592641058	.595632397	.692845052
120.0000	.369785517	.477343916	.502841018	.613107771	.623505220	.720413305
125.0000	.399397401	.510275251	.537290149	.642090149	.65018636	.745029989
130.0000	.427633540	.542271033	.570522965	.659550449	.675148576	.767470499
135.0000	.456470027	.571939316	.602535307	.695472710	.699809715	.791633378
140.0000	.485477304	.602935534	.633021197	.719459563	.721313037	.811748907
145.0000	.513449541	.631414510	.662109987	.742729239	.742303793	.832239490
150.0000	.540317701	.659707599	.690592519	.764112945	.762155973	.847138330
155.0000	.567202404	.684344310	.715477954	.784351958	.780688207	.862560719
160.0000	.592834934	.707761883	.739785641	.802595484	.797987203	.875602944
165.0000	.617568078	.721800279	.762513134	.819800943	.814101458	.898343704
170.0000	.641338903	.734459531	.783773260	.835727331	.825722750	.90927904
175.0000	.664138749	.747339397	.803131465	.852438993	.843084387	.911395133
180.0000	.685940705	.762667951	.821633335	.869070548	.855003739	.923495046
185.0000	.706734334	.779037924	.838427204	.875470739	.860496572	.927395857
190.0000	.725517983	.796803146	.853917353	.897932103	.879155152	.937051378

135.0000	.745296102	.442053212	.848142281	.823446843	.889422549	.943950817
200.0000	.763782400	.558160387	.881172297	.935065505	.895891631	.953143568
205.0000	.779822246	.869187176	.893080313	.915856796	.907627712	.955694325
210.0000	.795749331	.881191529	.933937526	.924880140	.915663125	.963683125
215.0000	.810676254	.892231597	.913815176	.932192408	.923054329	.955105355
220.0000	.824755005	.902266735	.922785893	.931867788	.929059225	.963072081
225.0000	.837865978	.911653530	.930914517	.9448997629	.936096231	.972631153
230.0000	.850192487	.920149228	.938265866	.952390302	.941815532	.975762438
235.0000	.861719236	.927907638	.944905959	.955371910	.947055414	.975690992
240.0000	.872481808	.935982322	.950889891	.959883578	.951851837	.981062733
245.0000	.882516339	.944423547	.956274435	.963966593	.956239851	.983278707
250.0000	.891859114	.947279940	.961112775	.967857884	.960249386	.985245317
255.0000	.900546186	.953596888	.965451401	.970990643	.963902231	.985982081
260.0000	.908613242	.957417838	.969341982	.973997980	.967253054	.985333982
265.0000	.916695109	.957178346	.972423505	.976708807	.970295532	.987901572
270.0000	.923025592	.955731889	.975929267	.977150273	.973072551	.991111226
275.0000	.929443290	.95294750	.979701144	.981147300	.975602593	.992140347
280.0000	.935368523	.972517312	.981172122	.983322747	.977901317	.993124634
285.0000	.940842234	.975318337	.983371464	.985097565	.979993972	.993958056
290.0000	.945891120	.975030391	.985325745	.986909668	.981895933	.994673100
295.0000	.950543560	.980379365	.987063102	.989120429	.983624011	.995340973
300.0000	.954426571	.982491054	.988603391	.989801351	.985193029	.995911673
305.0000	.958765835	.983863117	.989963322	.990350026	.986615895	.995914103
310.0000	.962385699	.986086160	.991175665	.991577916	.987909333	.995955101
315.0000	.965709237	.987609379	.992245317	.992497586	.990792115	.997244760
320.0000	.968758384	.988973118	.993189514	.993319914	.990143118	.997546310
325.0000	.971552745	.990193044	.994023018	.994054932	.991101354	.997883300
330.0000	.974112377	.991283521	.994753144	.994711183	.991973956	.997149563
335.0000	.975454943	.992257816	.995405935	.995292389	.992759117	.997380728
340.0000	.978597276	.993126541	.995975292	.995919755	.993473237	.997583347
345.0000	.980552112	.993901588	.996479073	.996285819	.994114039	.997602961
350.0000	.982343080	.994592287	.996919177	.996701188	.994695939	.997915581

ORIGINAL PAGE IS
OF POOR QUALITY

STATION: CAPE RENAISSANCE

DATA: JIMSPHERE

MODEM: 2

WAVELENGTH RANGE: 90-997 M

MELOMETRIC PROBABILITY DISTRIBUTION: GAMMA

M/S UNITS (M/S)

ALTITUDE	8	10	12	14
GAMMA	3.671984613	2.792456440	2.592360616	2.743519068
DELTA	.2278667253	.294512074	.320387080	.444839872
ALTIMETER	6	8	10	12
ALTIMETER	14	16	18	20
ALTIMETER	22	24	26	28
ALTIMETER	30	32	34	36
ALTIMETER	38	40	42	44
ALTIMETER	46	48	50	52
ALTIMETER	54	56	58	60
ALTIMETER	62	64	66	68
ALTIMETER	70	72	74	76
ALTIMETER	78	80	82	84
ALTIMETER	86	88	90	92
ALTIMETER	94	96	98	100
ALTIMETER	102	104	106	108
ALTIMETER	110	112	114	116
ALTIMETER	118	120	122	124
ALTIMETER	126	128	130	132
ALTIMETER	134	136	138	140
ALTIMETER	142	144	146	148
ALTIMETER	150	152	154	156
ALTIMETER	158	160	162	164
ALTIMETER	166	168	170	172
ALTIMETER	174	176	178	180
ALTIMETER	182	184	186	188
ALTIMETER	190	192	194	196
ALTIMETER	198	200	202	204
ALTIMETER	206	208	210	212
ALTIMETER	214	216	218	220
ALTIMETER	222	224	226	228
ALTIMETER	230	232	234	236
ALTIMETER	238	240	242	244
ALTIMETER	246	248	250	252
ALTIMETER	254	256	258	260
ALTIMETER	262	264	266	268
ALTIMETER	270	272	274	276
ALTIMETER	278	280	282	284
ALTIMETER	286	288	290	292
ALTIMETER	294	296	298	300
ALTIMETER	302	304	306	308
ALTIMETER	310	312	314	316
ALTIMETER	318	320	322	324
ALTIMETER	326	328	330	332
ALTIMETER	334	336	338	340
ALTIMETER	342	344	346	348
ALTIMETER	350	352	354	356
ALTIMETER	358	360	362	364
ALTIMETER	366	368	370	372
ALTIMETER	374	376	378	380
ALTIMETER	382	384	386	388
ALTIMETER	390	392	394	396
ALTIMETER	398	400	402	404
ALTIMETER	406	408	410	412
ALTIMETER	414	416	418	420
ALTIMETER	422	424	426	428
ALTIMETER	430	432	434	436
ALTIMETER	438	440	442	444
ALTIMETER	446	448	450	452
ALTIMETER	454	456	458	460
ALTIMETER	462	464	466	468
ALTIMETER	470	472	474	476
ALTIMETER	478	480	482	484
ALTIMETER	486	488	490	492
ALTIMETER	494	496	498	500
ALTIMETER	502	504	506	508
ALTIMETER	510	512	514	516
ALTIMETER	518	520	522	524
ALTIMETER	526	528	530	532
ALTIMETER	534	536	538	540
ALTIMETER	542	544	546	548
ALTIMETER	550	552	554	556
ALTIMETER	558	560	562	564
ALTIMETER	566	568	570	572
ALTIMETER	574	576	578	580
ALTIMETER	582	584	586	588
ALTIMETER	590	592	594	596
ALTIMETER	598	600	602	604
ALTIMETER	606	608	610	612
ALTIMETER	614	616	618	620
ALTIMETER	622	624	626	628
ALTIMETER	630	632	634	636
ALTIMETER	638	640	642	644
ALTIMETER	646	648	650	652
ALTIMETER	654	656	658	660
ALTIMETER	662	664	666	668
ALTIMETER	670	672	674	676
ALTIMETER	678	680	682	684
ALTIMETER	686	688	690	692
ALTIMETER	694	696	698	700
ALTIMETER	702	704	706	708
ALTIMETER	710	712	714	716
ALTIMETER	718	720	722	724
ALTIMETER	726	728	730	732
ALTIMETER	734	736	738	740
ALTIMETER	742	744	746	748
ALTIMETER	750	752	754	756
ALTIMETER	758	760	762	764
ALTIMETER	766	768	770	772
ALTIMETER	774	776	778	780
ALTIMETER	782	784	786	788
ALTIMETER	790	792	794	796
ALTIMETER	798	800	802	804
ALTIMETER	806	808	810	812
ALTIMETER	814	816	818	820
ALTIMETER	822	824	826	828
ALTIMETER	830	832	834	836
ALTIMETER	838	840	842	844
ALTIMETER	846	848	850	852
ALTIMETER	854	856	858	860
ALTIMETER	862	864	866	868
ALTIMETER	870	872	874	876
ALTIMETER	878	880	882	884
ALTIMETER	886	888	890	892
ALTIMETER	894	896	898	900
ALTIMETER	902	904	906	908
ALTIMETER	910	912	914	916
ALTIMETER	918	920	922	924
ALTIMETER	926	928	930	932
ALTIMETER	934	936	938	940
ALTIMETER	942	944	946	948
ALTIMETER	950	952	954	956
ALTIMETER	958	960	962	964
ALTIMETER	966	968	970	972
ALTIMETER	974	976	978	980
ALTIMETER	982	984	986	988
ALTIMETER	990	992	994	996
ALTIMETER	998	1000	1002	1004
ALTIMETER	1006	1008	1010	1012
ALTIMETER	1014	1016	1018	1020
ALTIMETER	1022	1024	1026	1028
ALTIMETER	1030	1032	1034	1036
ALTIMETER	1038	1040	1042	1044
ALTIMETER	1046	1048	1050	1052
ALTIMETER	1054	1056	1058	1060
ALTIMETER	1062	1064	1066	1068
ALTIMETER	1070	1072	1074	1076
ALTIMETER	1078	1080	1082	1084
ALTIMETER	1086	1088	1090	1092
ALTIMETER	1094	1096	1098	1100
ALTIMETER	1102	1104	1106	1108
ALTIMETER	1110	1112	1114	1116
ALTIMETER	1118	1120	1122	1124
ALTIMETER	1126	1128	1130	1132
ALTIMETER	1134	1136	1138	1140
ALTIMETER	1142	1144	1146	1148
ALTIMETER	1150	1152	1154	1156
ALTIMETER	1158	1160	1162	1164
ALTIMETER	1166	1168	1170	1172
ALTIMETER	1174	1176	1178	1180
ALTIMETER	1182	1184	1186	1188
ALTIMETER	1190	1192	1194	1196
ALTIMETER	1198	1200	1202	1204
ALTIMETER	1206	1208	1210	1212
ALTIMETER	1214	1216	1218	1220
ALTIMETER	1222	1224	1226	1228
ALTIMETER	1230	1232	1234	1236
ALTIMETER	1238	1240	1242	1244
ALTIMETER	1246	1248	1250	1252
ALTIMETER	1254	1256	1258	1260
ALTIMETER	1262	1264	1266	1268
ALTIMETER	1270	1272	1274	1276
ALTIMETER	1278	1280	1282	1284
ALTIMETER	1286	1288	1290	1292
ALTIMETER	1294	1296	1298	1300
ALTIMETER	1302	1304	1306	1308
ALTIMETER	1310	1312	1314	1316
ALTIMETER	1318	1320	1322	1324
ALTIMETER	1326	1328	1330	1332
ALTIMETER	1334	1336	1338	1340
ALTIMETER	1342	1344	1346	1348
ALTIMETER	1350	1352	1354	1356
ALTIMETER	1358	1360	1362	1364
ALTIMETER	1366	1368	1370	1372
ALTIMETER	1374	1376	1378	1380
ALTIMETER	1382	1384	1386	1388
ALTIMETER	1390	1392	1394	1396
ALTIMETER	1398	1400	1402	1404
ALTIMETER	1406	1408	1410	1412
ALTIMETER	1414	1416	1418	1420
ALTIMETER	1422	1424	1426	1428
ALTIMETER	1430	1432	1434	1436
ALTIMETER	1438	1440	1442	1444
ALTIMETER	1446	1448	1450	1452
ALTIMETER	1454	1456	1458	1460
ALTIMETER	1462	1464	1466	1468
ALTIMETER	1470	1472	1474	1476
ALTIMETER	1478	1480	1482	1484
ALTIMETER	1486	1488	1490	1492
ALTIMETER	1494	1496	1498	1500
ALTIMETER	1502	1504	1506	1508
ALTIMETER	1510	1512	1514	1516
ALTIMETER	1518	1520	1522	1524
ALTIMETER	1526	1528	1530	1532
ALTIMETER	1534	1536	1538	1540
ALTIMETER	1542	1544	1546	1548
ALTIMETER	1550	1552	1554	1556
ALTIMETER	1558	1560	1562	1564
ALTIMETER	1566	1568	1570	1572
ALTIMETER	1574	1576	1578	1580
ALTIMETER	1582	1584	1586	1588
ALTIMETER	1590	1592	1594	1596
ALTIMETER	1598	1600	1602	1604
ALTIMETER	1606	1608	1610	1612
ALTIMETER	1614	1616	1618	1620
ALTIMETER	1622	1624	1626	1628
ALTIMETER	1630	1632	1634	1636
ALTIMETER	1638	1640	1642	1644
ALTIMETER	1646	1648	1650	1652
ALTIMETER	1654	1656	1658	1660
ALTIMETER	1662	1664	1666	1668
ALTIMETER	1670	1672	1674	1676
ALTIMETER	1678	1680	1682	1684
ALTIMETER	1686	1688	1690	1692
ALTIMETER	1694	1696	1698	1700
ALTIMETER	1702	1704	1706	1708
ALTIMETER	1710	1712	1714	1716
ALTIMETER	1718	1720	1722	1724
ALTIMETER	1726	1728	1730	1732
ALTIMETER	1734	1736	1738	1740
ALTIMETER	1742	1744	1746	1748
ALTIMETER	1750	1752	1754	1756
ALTIMETER	1758	1760	1762	1764
ALTIMETER	1766	1768	1770	1772
ALTIMETER	1774	1776	1778	1780
ALTIMETER	1782	1784	1786	1788
ALTIMETER	1790	1792	1794	1796
ALTIMETER	1798	1800	1802	1804
ALTIMETER	1806	1808	1810	1812
ALTIMETER	1814	1816	1818	1820
ALTIMETER	1822	1824	1826	1828
ALTIMETER	1830	1832	1834	1836
ALTIMETER	1838	1840	1842	1844
ALTIMETER	1846	1848	1850	1852
ALTIMETER	1854	1856	1858	1860
ALTIMETER	1862	1864	1866	1868
ALTIMETER	1870	1872	1874	1876
ALTIMETER	1878	1880	1882	1884
ALTIMETER	1886	1888	1890	1892
ALTIMETER	1894	1896	1898	1900
ALTIMETER	1902	1904	1906	1908
ALTIMETER	1910	1912	1914	1916
ALTIMETER	1918	1920	1922	1924
ALTIMETER	1926	1928	1930	1932
ALTIMETER	1934	1936	1938	1940
ALTIMETER	1942	1944	1946	1948
ALTIMETER	1950	1952	1954	1956
ALTIMETER	1958	1960	1962	1964
ALTIMETER	1966	1968	1970	1972
ALTIMETER	1974	1976	1978	1980
ALTIMETER	1982	1984	1986	1988
ALTIMETER	1990	1992	1994	1996
ALTIMETER	1998	2000	2002	2004
ALTIMETER	2006	2008	2010	2012
ALTIMETER	2014	2016	2018	2020
ALTIMETER	2022	2024	2026	2028
ALTIMETER	2030	2032	2034	2036
ALTIMETER	2038	2040	2042	2044
ALTIMETER	2046	2048	2050	2052
ALTIMETER	2054	2056	2058	2060
ALTIMETER	2062	2064	2066	2068
ALTIMETER	2070	2072	2074	2076
ALTIMETER	2078	2080	2082	2084
ALTIMETER	2086			

STATION: CAPE KENNEDY
 DATA: JIMSPHERE
 MONTH: 2
 WAVELENGTH RANGE: 90-997 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

A-S VMAA (M/S)

ALT (KM)	4	6	8	10	12	14
GAMMA	3.196353823	3.349373221	3.508929831	2.373067319	3.127003223	4.135413647
BETA	.290838148	.246556506	.291956282	.183776620	.452201653	.525595158

X	P(X)	P(X)	P(X)	P(X)	P(X)	P(X)
1.25	.006290340	.007373125	.008464257	.019043912	.002061841	.071295862
1.250	.042050993	.051614111	.057300112	.079602802	.014693845	.009552263
1.375	.112765145	.139097260	.151151348	.168198864	.042660985	.078594780
1.500	.255364276	.273076538	.273076538	.269802637	.085955539	.059294656
1.625	.318193516	.382006347	.403305050	.373657919	.141993403	.103662913
1.750	.428603297	.504954012	.521017720	.472545329	.207148781	.150724819
1.875	.532405518	.613821067	.635724515	.562426791	.277683515	.207127799
2.000	.629275488	.706133805	.726078935	.641463153	.350297744	.267486688
2.125	.704326250	.780819684	.798115529	.709262736	.422102332	.329673275
2.250	.770266262	.839287877	.853719078	.766315006	.491172802	.391855642
2.375	.823784210	.883878125	.895542346	.813591331	.556009382	.452570391
2.500	.866311416	.917143539	.926342212	.852277659	.615101295	.510708511
2.625	.899556451	.941533578	.948628075	.883605219	.669775054	.565483145
2.750	.925179986	.959143512	.964515030	.908750281	.718093768	.616385169
2.875	.944691107	.971694179	.975696780	.927804889	.760766692	.663135149
3.000	.959392112	.980538957	.983480260	.946331867	.798072532	.705636248
3.125	.970368870	.986711122	.988846146	.957104333	.830397770	.743931539
3.250	.978497523	.990980960	.992513858	.968686542	.858188570	.778166771
3.375	.984474115	.993912153	.995001957	.974478237	.881915107	.805593064
3.500	.988404173	.995912053	.996678323	.980384901	.902045779	.835371554
3.625	.992011189	.997284430	.997800946	.984953120	.919330018	.858893067
3.750	.994302280	.998176560	.998548552	.988474578	.933287114	.879422683
3.875	.995949663	.998787954	.999043934	.991181076	.945199907	.897258192
4.000	.997129031	.999195851	.999370664	.993255533	.955111936	.912687778
4.125	.997969978	.999466777	.999585249	.994841591	.963327490	.925984375
4.250	.998567447	.999646023	.999725603	.996051923	.970111793	.937492062
4.375	.998990417	.999764174	.999817118	.996972367	.975678501	.947174154
4.500	.999288931	.999841742	.999876522	.997672021	.980282776	.955512337
4.625	.999499016	.999892548	.999914959	.998202555	.984034486	.962606966
4.750	.999646410	.999925666	.999939702	.998604193	.987096764	.968627602
4.875	.999749713	.999947183	.999956177	.998907708	.989590205	.973724298
5.000	.999821521	.999961130	.999965817	.999136768	.991616003	.978028908
5.125	.999871641	.999970188	.999972254	.999309376	.993258111	.981656708
5.250	.999906436	.999975875	.999976322	.999439262	.994586587	.984707981
5.375	.999930553	.999979518	.999978863	.999536894	.995659314	.987269402
5.500	.999947213	.999981835	.999980450	.999610171	.996523932	.989415780
5.625	.999958679	.999983288	.999981396	.999665082	.997219667	.991211303
5.750	.9999766547	.999984153	.999981955	.999706186	.997718537	.992718896
5.875	.999971934	.999984684	.999982193	.999736957	.998226881	.993961439
6.000	.999975599	.999984911	.999982335	.999759242	.998585662	.995002776

STATION: CAPE KENNEDY
DATA: JIMSPHERE

MONTH: 2

WAVELENGTH RANGE: 90-997 M

MECHANICAL PROBABILITY DISTRIBUTION: GAMMA

LU (M)

PLT(M)	4	6	8	10	12	14
GAMMA	5.096127510	4.572417617	4.319932282	3.20437847	3.423570365	2.827344239
DELTA	52.375165462	57.952509403	59.449395657	69.947028160	69.889573097	83.122339795
X	PIX	PIX	PIX	PIX	PIX	PIX
1.0000	.000001304	.000004781	.000010042	.000169369	.000109486	.000688159
2.0000	.000038067	.000098899	.000175313	.000193855	.000105688	.0003077473
3.0000	.000256693	.000549067	.000883054	.005094160	.003792102	.000669544
4.0000	.000250457	.001780228	.002676020	.011795009	.009128615	.010344277
5.0000	.002534895	.004300218	.006440996	.022100261	.017598043	.031639607
6.0000	.005495371	.008625335	.011823387	.036231721	.029521902	.008639580
7.0000	.010328907	.015221728	.020171746	.054183183	.045005542	.049091813
8.0000	.017492700	.024465829	.031507998	.075774745	.063983185	.092645584
9.0000	.027365055	.036622341	.046017381	.100701940	.086256904	.110897421
10.0000	.040220302	.051836611	.063752332	.128577430	.111532130	.147421010
11.0000	.056216772	.070137759	.084645425	.158965271	.139452230	.177784427
12.0000	.075395705	.091449232	.108527534	.191407202	.169619009	.209584998
13.0000	.097688502	.115603882	.135148296	.225448444	.201620221	.242419323
14.0000	.122929743	.142361343	.164196869	.260673423	.235044957	.275929693
15.0000	.150873693	.171425980	.195321551	.29676526	.26948579	.309787769
16.0000	.181212366	.202464148	.228147460	.332164787	.304582170	.343700305
17.0000	.213593639	.235120030	.262291710	.367163215	.339973565	.377439365
18.0000	.247638475	.269029443	.297376172	.403166999	.375349537	.410691492
19.0000	.282956351	.303831838	.33037943	.440611914	.410430811	.443556223
20.0000	.319158588	.339179274	.368936615	.475273456	.44973942	.475247937
21.0000	.358669364	.374744251	.404756434	.508965045	.478770696	.506223634
22.0000	.392734412	.410224882	.440218978	.541535564	.511648822	.536190376
23.0000	.429427516	.445348620	.475025278	.574355915	.543459915	.565767724
24.0000	.465654910	.479874291	.509111539	.602868602	.574097112	.592180270
25.0000	.503157954	.513593026	.542147636	.631479368	.603472538	.619371185
26.0000	.535714343	.546328090	.574031935	.658659190	.631524496	.648590907
27.0000	.569137901	.577933977	.604059401	.684388734	.658212855	.668664932
28.0000	.601277597	.608294532	.633929357	.708666019	.683516318	.693496857
29.0000	.632015683	.637321348	.661782987	.731503628	.707429953	.713104558
30.0000	.661265299	.664951153	.688180586	.752926409	.729962654	.733513445
31.0000	.686967712	.691143207	.713102959	.777969119	.751135059	.752743974
32.0000	.715089425	.715877362	.736548640	.791674502	.770977497	.770830341
33.0000	.739619002	.739150549	.758531362	.809091493	.789528079	.781809335
34.0000	.762564337	.760975093	.779077746	.825273693	.806831151	.803721167
35.0000	.783949502	.781375974	.798224822	.840277977	.822935775	.818638627
36.0000	.803912027	.800389059	.816018149	.854163274	.837894425	.832516260
37.0000	.822200425	.818058461	.832309935	.86698702	.851761930	.845486741
38.0000	.839171812	.834435117	.847757295	.878817640	.864594409	.857575200
39.0000	.858789823	.849575251	.861820824	.889707059	.876448060	.864814797
40.0000	.880122662	.863538295	.874763371	.899716899	.887381807	.879266277
41.0000	.892241569	.876386354	.886649172	.908904687	.894494121	.888676664
42.0000	.894219406	.880182715	.897542149	.917326212	.906105752	.897951901
43.0000	.905129455	.898991043	.907506123	.925035074	.915204957	.906274713
44.0000	.915044308	.908874544	.91660545	.932082690	.922998272	.915074375

ORIGINAL PAGE IS
OF POOR QUALITY

450.000	.924035288	.917895265	.924895287	.938517950	.930135138	.921096735
455.000	.922171665	.922113675	.932439879	.944387227	.936628823	.927669838
470.000	.939520054	.933588147	.939293817	.949734420	.942626499	.933734141
475.000	.924144186	.924037888	.925510698	.9254600796	.948086656	.919324237
490.000	.952104680	.946227399	.951141320	.959025078	.953029551	.944473036
500.000	.937458630	.952028477	.958233919	.963043563	.957547151	.949211746
510.000	.962259710	.957130067	.960833639	.966609989	.961656958	.953569710
520.000	.966558151	.961673312	.964982718	.969995879	.965392254	.957574710
530.000	.970400594	.955768455	.968720660	.972990379	.968704042	.961252786
540.000	.971830312	.969454825	.972084112	.975700654	.971881184	.964628316
550.000	.976887263	.972769171	.975107163	.978111649	.974650517	.967724286
560.000	.979608193	.975745454	.977821149	.980366498	.977116920	.970562041
570.000	.982026845	.978415012	.980255082	.982366458	.979463354	.973161671
580.000	.984171991	.980808820	.982435584	.984171063	.981531046	.975541621
590.000	.986077800	.982947439	.984387070	.985798277	.983399533	.977710359
600.000	.987163792	.984861255	.986131892	.987264529	.985086843	.979711041
610.000	.988255160	.986570547	.987690479	.988584913	.986609489	.981531575
620.000	.990572929	.988095893	.989081435	.989773221	.987982623	.983194835
630.000	.991735980	.989455248	.990321688	.990841985	.989220098	.984717666
640.000	.992761441	.990666106	.991426677	.991802670	.990334630	.986999996
650.000	.993664682	.991743350	.992410310	.992665716	.991337973	.987568806
660.000	.994459510	.992701441	.993285194	.993440628	.992204051	.988518209
670.000	.995158195	.993552364	.994062774	.994135976	.993051939	.989569567
680.000	.995771863	.994307645	.994753331	.994759664	.993781112	.990527511
690.000	.996310301	.994977449	.995366186	.995318770	.994436055	.991400026
700.000	.996782385	.995571099	.995909676	.995819755	.995023929	.992194377

STATION: CAPE KENNEDY
DATA: JINSPHERE
MONTH: 2
WAVELENGTH RANGE: 90-997 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

ALTIMETER	4	6	8	10	12	14
GAMMA	5.40021675	5.23017096	4.092552678	2.734007806	3.194053859	2.545373589
BETA	52.87954258	59.306065559	65.541288376	83.134619713	74.671171180	88.013589859

X	P(X)	P(X)	P(X)	P(X)	P(X)	P(X)
1.000	.000000358	.000000627	.000014564	.000636673	.000169621	.01021486
2.000	.000013429	.000020254	.000220323	.003925522	.001577424	.005581622
3.000	.000104905	.000145393	.001026126	.010923213	.005212343	.014490095
4.000	.000431077	.000563351	.002952880	.022018940	.011826284	.027850131
5.000	.001246192	.001555959	.006529275	.037221198	.021847383	.045431096
6.000	.002884916	.003489624	.012224264	.056307229	.035449985	.066822702
7.000	.005730703	.006743678	.020408612	.078915832	.052609030	.091557970
8.000	.010179491	.011708587	.031337705	.104609005	.073150272	.119025929
9.000	.016605345	.018735918	.045149105	.132913938	.096793645	.148924345
10.000	.025332045	.028117215	.061869739	.163351702	.123189291	.180545053
11.000	.036612436	.040676763	.081428895	.195456650	.151946628	.213493215
12.000	.050615907	.054717903	.103674192	.228789153	.182657210	.247344268
13.000	.067423356	.072112218	.128388576	.262943499	.214912247	.281717153
14.000	.087028473	.092212177	.155306984	.297552325	.248315575	.316275109
15.000	.109343918	.114907417	.184131788	.332288507	.282492999	.350724757
16.000	.134211026	.140202027	.214546572	.366865352	.317098524	.384814169
17.000	.161411634	.167323546	.246327948	.401035421	.351818234	.418317241
18.000	.190680994	.196550868	.278855342	.434588607	.386372350	.451095629
19.000	.221720815	.227470706	.312118951	.467349615	.420515697	.482965581
20.000	.254211757	.259583652	.345725704	.499175165	.454037189	.513824612
21.000	.287824810	.292765398	.379403781	.529951043	.486758463	.543581348
22.000	.32231401	.326640849	.412905596	.559589125	.518532045	.572175255
23.000	.357111856	.360908296	.446009591	.588024415	.549233084	.599555008
24.000	.392162308	.395284761	.478521045	.615212306	.578788650	.625693209
25.000	.427100118	.429506871	.510272048	.641125880	.607106246	.650576562
26.000	.461667672	.463335797	.541127932	.665753558	.634149104	.674204312
27.000	.495634954	.495659180	.570950948	.689096726	.659885973	.696586512
28.000	.528800912	.528991699	.599668875	.711167723	.684303410	.717421445
29.000	.560993932	.560475476	.627203241	.731968065	.707401834	.737697534
30.000	.592071347	.590879433	.653502427	.751586705	.729193516	.756484943
31.000	.621918328	.620398062	.678352653	.769985336	.749700561	.774141415
32.000	.650446407	.648750152	.702276014	.787263215	.768953204	.790707350
33.000	.677591473	.674676768	.724728502	.803423852	.786988229	.806225933
34.000	.703311689	.699929266	.745898210	.818526298	.803847507	.820747115
35.000	.727585144	.723817401	.765803419	.832617983	.819576919	.834301956
36.000	.750407413	.746306852	.784471080	.845747404	.834225148	.846951939
37.000	.771789476	.767417354	.801355218	.857963420	.847842693	.858737443
38.000	.791755207	.787170656	.818235502	.869314812	.860461307	.869704456
39.000	.810339354	.805598363	.833516037	.879849739	.872191016	.879904524
40.000	.827585533	.822740483	.847524285	.889615521	.883029759	.889377313
41.000	.843544327	.838643476	.860609964	.898658238	.893042748	.898164041
42.000	.858271755	.853358855	.872724339	.907022588	.902282342	.906304383
43.000	.871827632	.866942073	.883919358	.914751627	.910797328	.913450509
44.000	.884274334	.879450664	.894247107	.921486779	.918634996	.920484991

450.000	.895675749	.890944019	.903759181	.928467609	.925840855	.927287694
460.000	.906096138	.901981971	.912506352	.934531912	.932458542	.933240727
470.000	.915599398	.911124207	.920538068	.940115497	.938529548	.938742414
480.000	.924248420	.919929594	.927902351	.945252389	.944093496	.943381742
490.000	.932104371	.927955702	.934645347	.949974671	.949187681	.948095582
500.000	.939226486	.935258366	.940811411	.954312637	.953847446	.952951332
510.000	.945671581	.941891305	.946442790	.958294675	.958106011	.956772573
520.000	.951493370	.947905973	.951579593	.961247575	.961994588	.960222836
530.000	.956744440	.953351282	.956259780	.965296306	.965542369	.963772397
540.000	.961471982	.958273560	.96519187	.970364283	.968776636	.966964116
550.000	.965721965	.962716497	.964391410	.971173368	.971722841	.969637483
560.000	.969536871	.966321021	.967907988	.973743826	.974404655	.972298592
570.000	.972956255	.970325485	.971098423	.976094671	.976844047	.974684304
580.000	.976016842	.973565534	.973990120	.978241470	.979061507	.976872440
590.000	.978752628	.976474278	.976608574	.980206557	.981075756	.978880823
600.000	.981194861	.979982384	.978977479	.981992069	.982904300	.980719447
610.000	.983372286	.981181110	.981118731	.983635046	.984563224	.982401451
620.000	.985311270	.983567492	.983052604	.985127427	.986067355	.983945116
630.000	.987035878	.985374471	.984797768	.986488186	.987433356	.985355966
640.000	.988568460	.987940766	.986371316	.987728402	.988664769	.986644540
650.000	.989927769	.988526531	.98789102	.98858275	.989782117	.987826445
660.000	.991133139	.989849975	.989065565	.98988170	.990792967	.989993355
670.000	.992200583	.991027549	.990214020	.990823746	.991707012	.989891003
680.000	.993144892	.992074430	.991246507	.991615943	.992533088	.990791321
690.000	.993979476	.993004285	.992174149	.992451079	.993279338	.991613433
700.000	.994716413	.993829384	.993006997	.99315859	.993953116	.992363833

SYM

STATION: CAPE KENNEDY

DATA: JIMSPHERE

MONTH: 2

WAVELENGTH RANGE: 90-2470 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

ABS UMAX (M/S)

ORIGINAL PAGE IS
OF POOR QUALITY

DATE 090479

PAGE 161

ALT(KM)	4	6	8	10	12	14
GAMMA	3.415997714	3.247025579	3.346126676	3.063889325	2.354511023	3.338493363
BETA	.479302086	.499379475	.512887217	.619559079	1.117963657	.862626545

X	P(X)	P(X)	P(X)	P(X)	P(X)	P(X)
.2500	.006928034	.008699005	.006528288	.006926114	.008478117	.001359432
.5000	.050616847	.057495708	.046704912	.043790549	.038486710	.011163561
.7500	.138577947	.150013922	.127514036	.113915779	.086464202	.034871307
1.0000	.269637700	.269637547	.236866381	.207787370	.147056950	.073695357
1.2500	.384965669	.397456445	.358200330	.313270036	.215221146	.125958469
1.5000	.509149142	.519305803	.477735221	.420221442	.286800228	.188503800
1.7500	.619688302	.626975223	.586537443	.520793110	.358676897	.257709667
2.0000	.712523349	.717103243	.680135332	.611313216	.428333957	.330116555
2.2500	.787166052	.789551020	.757319696	.689657338	.494410884	.402759247
2.5000	.845183790	.845991538	.818911389	.755532540	.555054037	.473299168
2.7500	.889075451	.88883484	.866786212	.809658989	.612130076	.540033109
3.0000	.921553020	.920736223	.903208293	.853039022	.663039543	.601833403
3.2500	.945147924	.944063745	.930426098	.887938380	.708621949	.658056259
3.5000	.962022938	.960800786	.950460270	.915067531	.749080472	.708441503
3.7500	.973932207	.972854756	.965016872	.936074756	.784723818	.753017016
4.0000	.982240319	.981209119	.975475408	.952181712	.815922506	.792014711
4.2500	.987977847	.987174571	.982916132	.964425248	.843075617	.825800784
4.5000	.991904914	.991247460	.988164142	.973661453	.866592713	.854820497
4.7500	.994571574	.994045280	.991817226	.980581932	.886868037	.879556045
5.0000	.996369518	.995958588	.994390368	.985735983	.904279903	.900495864
5.2500	.997574069	.997289790	.996154085	.989553653	.919179425	.918113463
5.5000	.998376414	.998123720	.997365616	.992367491	.931887962	.932853408
5.7500	.998907991	.998710521	.998193614	.994432203	.942695871	.945123322
6.0000	.999258541	.999102764	.998756871	.995941021	.951862827	.955288990
6.2500	.999488667	.999363884	.999138415	.997039489	.959618852	.963678241
6.5000	.999639131	.999537073	.999395840	.997836448	.966166265	.970572159
6.7500	.999737136	.999651514	.999568880	.998412818	.971681915	.976217575
7.0000	.999800719	.999726884	.999684803	.998828419	.976319388	.980825230
7.2500	.999841861	.999776401	.999762215	.999127276	.980211504	.984574199
7.5000	.999868378	.999808803	.999813773	.999344615	.983472638	.987615742
7.7500	.999884432	.999829955	.999848008	.999494992	.986200780	.990076721
8.0000	.999896348	.999847332	.999870673	.999604486	.988479756	.992062949
8.2500	.999903306	.999852657	.999885634	.999682516	.990380906	.993662238
8.5000	.999907732	.999858432	.999895483	.999737963	.991964787	.994947068
8.7500	.999910541	.999862134	.999901943	.999777310	.993242802	.995977134
9.0000	.999912307	.999864519	.999906175	.999805182	.994378313	.996801339
9.2500	.999913394	.999866016	.999908939	.999824889	.995247895	.997459590
9.5000	.999914065	.999867007	.999910742	.999838792	.996042326	.997984380

SYN

9. 7500
10. 0000
10. 2500
10. 5000
10. 7500
11. 0000

.999914467
 .999914721
 .999914825
 .999914885
 .999914922
 .999914922

• 999867596
• 999867961
• 999868199
• 999868201
• 999868333
• 999868378

..999911089
..999912620
..999913082
..999913365
..999913536
..999913611

.999848559
 .999855414
 .999860220
 .999863565
 .999865882
 .999867506

DATE 090979

.996667467
 .997185014
 .997613087
 .997966908
 .998259090
 .998500176

PAGE 162

.998402037
 .998733945
 .998997316
 .999275932
 .999371015
 .999504482

SYM

DATE 090479

PAGE 163

STATION: CAPE KENNEDY

DATA: JIMSPHERE

MONTH: 2

WAVELENGTH RANGE: 90-2470 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

ABS VMAX (M/S)

ALTIM

4

6

8

10

12

14

GAMMA
BETA3.984732240
.5076379443.692172865
.5026026002.857386768
.6338011322.840550065
.7916322502.909506410
1.0535878993.177150220
1.122406001

X

PIX)

PIX)

PIX)

PIX)

PIX)

PIX)

.2500 .005034521
.5000 .039282245
.7500 .112539880
1.0000 .215802017
1.2500 .333833117
1.5000 .452803686
1.7500 .563090563
2.0000 .659398884
2.2500 .739818856
2.5000 .804675773
2.7500 .855546825
3.0000 .894550785
3.2500 .923898905
3.5000 .945620663
3.7500 .961486697
4.0000 .972936459
4.2500 .98113695
4.5000 .986900374
4.7500 .990962103
5.0000 .993792370
5.2500 .995751612
5.5000 .997099847
5.7500 .998022623
6.0000 .998651125
6.2500 .999077223
6.5000 .999364927
6.7500 .999558419
7.0000 .999688096
7.2500 .999747117
7.5000 .999832392
7.7500 .999870673
8.0000 .999896005
8.2500 .999912716
8.5000 .999923714
8.7500 .999930941
9.0000 .999935679
9.2500 .999938749
9.5000 .999940731

.003348453
.029818723
.091986652
.185311146
.297053427
.413849328
.523756963
.625150651
.710236251
.780099757
.835762560
.879032150
.911984039
.936648749
.954836376
.968076587
.977607153
.983199565
.989197925
.992560953
.994901292
.996519469
.997631788
.998392344
.998909824
.999260299
.999496713
.999655567
.999761909
.999832861
.999880031
.999911323
.999932013
.999945641
.999954604
.999960467
.999964289
.999966785

.005950654
.034619279
.087848073
.159983313
.243603593
.331902765
.419334963
.502742961
.579176039
.647601917
.707612008
.759363383
.803371653
.840354465
.871119335
.896487527
.91245306
.934115671
.947744124
.958694413
.967450164
.974420495
.979947373
.984313764
.987751782
.99050554
.992563009
.994212180
.995496526
.996494479
.997268274
.997867048
.998329535
.998864112
.999171562
.999333441
.999457471

.002333325
.014999195
.041217919
.080481765
.130520834
.184456772
.251340255
.316549357
.381890479
.445641803
.506530710
.563680753
.616548419
.664857633
.708539337
.747678250
.782468177
.813175492
.840110280
.863604210
.883993894
.901609041
.916764334
.929754056
.940849155
.950295821
.964014488
.97044531
.976251772
.984195537
.991032078
.996901936
.997193727
.976230115
.976898743
.983023435
.985680185
.987935416

SYM

9.7500
10.0000
10.2500
10.5000
10.7500
11.0000

.999942012
.999942839
.999943346
.999943659
.999943852
.999943934

.999968395
.999969423
.999970078
.999970488
.999970742
.999970876

.999729924
.999736205
.999740608
.999743685
.999745846
.999747343

.999552436
.999625012
.999680392
.999722637
.999754786
.999779254

DATE 090479

.995489567
.996275969
.996926576
.997464232
.997980048
.998274006

PAGE

164

.989846855
.991464573
.992831618
.993985444
.994958036
.995776854

SYM

DATE 090479 PAGE 165

STATION: CAPE KENNEDY
DATA: JIMSPHERE
MONTH: 2
WAVELENGTH RANGE: 90-2470 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA
LU (M)

ALT(KM)	4	6	8	10	12	14
GAMMA	3.537905365	3.298702329	2.820323080	3.032525688	2.923556268	2.972311646
BETA	169.770711899	175.656164169	210.585546494	210.760747910	197.310686111	215.245626450
X	PIX	PIX	PIX	PIX	PIX	PIX
40.0000	.000406642	.000717476	.001650258	.000891200	.001469572	.001000746
40.0000	.003954875	.005974164	.010256326	.006321939	.009493932	.006903390
120.0000	.013881702	.019206817	.028112150	.019003008	.027412062	.020134317
160.0000	.032175363	.041936218	.0553113575	.039623316	.054988998	.041410045
200.0000	.059469504	.074149873	.090851941	.068026721	.091490027	.070394492
240.0000	.095332240	.114827211	.133207431	.103346953	.135337532	.106147606
280.0000	.138622135	.162389226	.180694848	.144376228	.184717391	.147428049
320.0000	.187805077	.215025935	.231664592	.189775540	.237824420	.192893347
360.0000	.241700648	.270928092	.284613613	.238212610	.293002173	.241227582
400.0000	.297156546	.328426469	.338239651	.288477112	.348813705	.291214144
440.0000	.354160853	.386070583	.391459763	.339378636	.404066083	.341797471
480.0000	.410954002	.442665209	.443407204	.390068714	.457819413	.392060243
520.0000	.466313183	.497258827	.493415814	.439745545	.50349786	.441265699
560.0000	.519540666	.549158350	.540997908	.487797663	.558443899	.488829389
600.0000	.569964036	.597873345	.585819490	.533760764	.603859998	.534309372
640.0000	.617156029	.643100299	.627675466	.577301353	.646300778	.577389553
680.0000	.660858221	.684647808	.666466042	.618198581	.685385644	.617861882
720.0000	.700952083	.722606316	.702175438	.656326368	.721125874	.655608989
760.0000	.737431213	.756920271	.734853044	.691636555	.753682266	.690587804
800.0000	.770375714	.787763931	.764597215	.724143259	.782947227	.722814605
840.0000	.799299656	.815320760	.791541666	.753909148	.809328526	.752351999
880.0000	.826282039	.839806430	.815844238	.781033553	.832936913	.779297382
920.0000	.849650726	.861455008	.837677613	.805642232	.853975937	.803773321
960.0000	.870269731	.880508386	.857222095	.827878440	.872653969	.825919576
1000.0000	.886379030	.897207849	.874659993	.847898096	.889178172	.845884253
1040.0000	.904216886	.911788173	.890171155	.865860090	.903750062	.863828763
1080.0000	.916014117	.924473278	.903922851	.881925451	.916562289	.879903391
1120.0000	.929902010	.935473360	.916102342	.896253966	.92779476	.894264102
1160.0000	.943050704	.944988266	.926845632	.908998035	.937621929	.907050198
1200.0000	.949285595	.953181595	.936306208	.920304805	.946194487	.918434463
1240.0000	.956968337	.960230537	.944619842	.930312954	.953658514	.924521983
1280.0000	.963556640	.966276295	.951911293	.939152256	.960429440	.937449299
1320.0000	.969191857	.971449599	.958294496	.946943223	.965765685	.94534166
1360.0000	.974000283	.975866713	.963872924	.953797005	.970623352	.952285327
1400.0000	.974093959	.979630448	.968740143	.959815383	.974837393	.958472552
1440.0000	.9781571682	.982831270	.972980291	.965091147	.978464894	.963776446
1480.0000	.984520167	.985550849	.976668857	.969708440	.981589384	.968491353
1520.0000	.987015225	.987845897	.979873240	.973743372	.984427674	.972620488

SYM

DATE 090479

PAGE 166

1540.0000	.989790866	.982653365	.977264181	.986594894	.976222462
1600.0000	.991444387	.985062391	.980332173	.988564234	.979387358
1640.0000	.992395678	.987197450	.993002149	.990261145	.982139669
1680.0000	.993653424	.988950074	.985322848	.991712119	.98537907
1720.0000	.994708903	.990506925	.987337545	.992953324	.986625172
1760.0000	.995593548	.991850115	.989084668	.994012947	.988439858
1800.0000	.996503897	.993007876	.990598127	.994916685	.990015879
1840.0000	.997084782	.994004853	.991907790	.995686784	.991383292
1880.0000	.997571081	.994862601	.993039966	.996342443	.992568538
1920.0000	.997977756	.995600015	.994017839	.996900134	.993594982
1960.0000	.998317525	.996233419	.994861677	.997374125	.994883106
2000.0000	.998601034	.996777073	.995589152	.997776620	.995250948

SYN

DATE 090879

PAGE 167

STATION: CAPE KENNEDY

DATA: JIMSPHERE

MONTH: 2

JAVELENGTH RANGE: 90-2470 K

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

LV (M)

ALT (MM)	0	8	10	12	14
GAMMA	3.295799439	3.233800665	3.13303498	2.361813158	2.033804567
BETA	176.245811462	191.545890808	217.136987686	257.178684235	287.440009163

X	PIXI	PIXI	PIXI	PIXI	PIXI
40.0000	.000715845	.000845529	.000656306	.000406598	.003771941
60.0000	.005952314	.001025285	.005312400	.004665940	.017752924
120.0000	.019125456	.004751617	.016894603	.014509112	.041718014
160.0000	.041740026	.013317115	.036747905	.031221057	.074167185
200.0000	.073811352	.028359214	.064972566	.054952465	.113295283
240.0000	.114306577	.050800524	.100836333	.085226782	.157329217
280.0000	.161667623	.080818697	.143120544	.121186055	.204662977
320.0000	.214100542	.117953169	.190380223	.161774745	.235134903
360.0000	.269808389	.161277847	.241126217	.205870753	.288762003
400.0000	.327131990	.209564665	.293944266	.252374377	.343040764
440.0000	.384627908	.261452612	.347556021	.300265148	.396807052
480.0000	.441383998	.315677739	.400905486	.348634624	.449201427
520.0000	.495613690	.370616607	.453070600	.396703225	.495552276
560.0000	.547460273	.425446786	.503359564	.443822064	.543732222
600.0000	.596125514	.479080807	.551246576	.484707091	.592331961
640.0000	.641383998	.530729271	.596362471	.533247471	.634234130
680.0000	.682999827	.579788499	.634472535	.57486758	.672988750
720.0000	.720766570	.625828072	.674454799	.614096470	.708590925
760.0000	.755344801	.668571830	.713278376	.650844090	.741101220
800.0000	.786265053	.707875825	.745984286	.685043566	.770629123
840.0000	.813907325	.743705310	.775668405	.716693370	.797318861
880.0000	.838884220	.776112616	.802466661	.745834433	.821337976
920.0000	.860227145	.805216663	.826542646	.772542410	.842867933
960.0000	.879375719	.83118760	.848077394	.796917133	.862096764
1000.0000	.896169372	.854217134	.867261179	.819076568	.879213314
1040.0000	.910841305	.874538311	.884287015	.84150451	.894403078
1080.0000	.923614554	.892365091	.899345666	.857275449	.907844938
1120.0000	.934698269	.907941326	.912622021	.873591021	.919708923
1160.0000	.944286779	.921488814	.924292423	.888236403	.930150867
1200.0000	.952558361	.93224127	.934522875	.901348062	.939331494
1240.0000	.959674992	.943351366	.943468034	.913057826	.947374772
1280.0000	.965742888	.952060029	.951270573	.923491590	.954414278
1320.0000	.971012853	.959523998	.958061084	.932768434	.960560679
1360.0000	.974881369	.965901293	.963958308	.940999940	.965914891
1400.0000	.979291484	.971334167	.969069578	.948290028	.970582381
1440.0000	.982533939	.975949720	.973491304	.954734802	.974634945
1480.0000	.985268247	.979860693	.977309719	.960422590	.978151567
1520.0000	.987623900	.983146471	.980601586	.965434298	.981148255

STATION: CAPE KENNEDY
 DATA: JINSPHRE
 QUANT: 2

WAVELENGTH RANGE: 90-5000 M

PHOTOMETRIC PROBABILITY DISTRIBUTION: GAMMA
 RMS UNITS (M/S)

ALTITUDE	4	6	8	10	12	14
GAMMA	1.378424019	2.583433172	2.925381243	2.442409405	2.665124804	4.179145375
ALTA	1.366647165	1.361338846	1.094147757	1.538402617	1.025320959	1.170308005

	P(X)	P(X)	P(X)	P(X)	P(X)	P(X)
250	0.50315060	0.05604689	0.02016078	0.03252933	0.01100181	0.00038264
500	0.152037701	0.029108004	0.013177332	0.016265122	0.006468124	0.00587402
750	0.247412210	0.070509113	0.036656504	0.039317098	0.017337657	0.072712465
1000	0.337997101	0.126018479	0.072308707	0.071156731	0.039911664	0.07659211
1250	0.421241641	0.191071743	0.110330937	0.110060216	0.055067117	0.016534059
1500	0.496266674	0.261424481	0.172238478	0.154245036	0.082608071	0.010136992
1750	0.563019723	0.333556634	0.231424463	0.202050125	0.113409264	0.048591193
2000	0.621072343	0.404752366	0.293408476	0.252012979	0.147497879	0.072974672
2250	0.673406146	0.473051004	0.356346775	0.302895110	0.184115514	0.101846176
2500	0.718029257	0.537136534	0.410325756	0.353680424	0.222547119	0.135334059
2750	0.757223696	0.596221540	0.470138823	0.403559048	0.262140706	0.172694719
3000	0.790872976	0.64989252	0.524856327	0.451908302	0.302216796	0.213204491
3250	0.819873229	0.698708864	0.574856971	0.498262294	0.342571590	0.256057224
3500	0.844805919	0.740909140	0.616774935	0.542293668	0.382476402	0.300490263
3750	0.866196404	0.776613644	0.651448199	0.583707687	0.421672046	0.345759120
4000	0.88515941	0.811615882	0.721871734	0.622622244	0.459867653	0.391104861
4250	0.900179513	0.840260573	0.758156799	0.658749513	0.49830527	0.436177557
4500	0.913553834	0.864299355	0.790496789	0.692180075	0.532381803	0.480199431
4750	0.924959339	0.886240311	0.819139458	0.722969465	0.566389516	0.522644930
5000	0.934675053	0.904050532	0.846364762	0.751206741	0.594762438	0.563773717
5250	0.942943074	0.919726278	0.866467945	0.777005166	0.629444234	0.607272169
5500	0.949972749	0.932992441	0.88346658	0.800494455	0.658408046	0.649504795
5750	0.955944672	0.944082844	0.902491786	0.821414559	0.685651578	0.694710597
6000	0.961014107	0.953428517	0.916980959	0.841105465	0.711192727	0.706171746
6250	0.965314597	0.961281314	0.924474346	0.858529024	0.735065624	0.735974867
6500	0.968960427	0.967062278	0.940212317	0.874214435	0.757217334	0.743452545
6750	0.972449434	0.973363941	0.949414194	0.888308987	0.770004847	0.748657121
7000	0.974665232	0.9779533047	0.957278058	0.900946997	0.797192514	0.812673842
7250	0.976479261	0.981772784	0.963981353	0.912257619	0.814494085	0.812604229
7500	0.978752300	0.984946005	0.969681807	0.923623328	0.831349887	0.851562977
7750	0.980336109	0.987573312	0.974514716	0.931374714	0.846667204	0.866673146
8000	0.981675051	0.989755378	0.976614390	0.939400345	0.860377416	0.884062216
8250	0.982846325	0.991556870	0.982075721	0.946536914	0.873155214	0.897859022
8500	0.983761832	0.993041544	0.984995574	0.952074199	0.884743801	0.910191081
8750	0.984508626	0.994450459	0.987454459	0.958494529	0.895606644	0.921182662
9000	0.985249631	0.995273547	0.989521772	0.963472933	0.905421341	0.930953346
9250	0.985824302	0.996101677	0.991257221	0.967877686	0.914385110	0.939616822
9500	0.986319081	0.996761548	0.992711944	0.971770459	0.923561467	0.947280265
9750	0.986717924	0.997339174	0.993529759	0.975207761	0.930010721	0.954047161
10000	0.987062655	0.997795857	0.994947058	0.978234999	0.936780922	0.960001172
10250	0.987353254	0.998169444	0.995797942	0.980911116	0.942552767	0.965255123
10500	0.987598121	0.998475157	0.996597952	0.983263403	0.948549576	0.969827140
10750	0.987842644	0.998724644	0.997397549	0.985332717	0.953627437	0.973947117
11000	0.987976224	0.998924436	0.997589496	0.987151675	0.958230250	0.977361754

11.250	.988124564	.999094352	.997997694	.988749370	.962398730	.980427906
11.500	.988207834	.999229617	.998317045	.990151666	.966170728	.983028891
11.750	.988351583	.999339700	.998618618	.991381578	.969581209	.985427328
12.000	.988438912	.999429271	.998852037	.992559580	.972662404	.987490192
12.250	.988512389	.999502093	.999045387	.993603874	.975444071	.989190295
12.500	.988574184	.999561224	.999205410	.994230531	.977953561	.990706131
12.750	.988626167	.999609210	.999337733	.994953752	.980215952	.992017336
13.000	.988666287	.999648117	.999447048	.995586134	.982254267	.993150137
13.250	.988706656	.999679670	.999537311	.996138774	.984089516	.994127624
13.500	.988737576	.999705218	.999611852	.996621482	.985740967	.994977098
13.750	.988769541	.999725886	.999673210	.997042894	.987226121	.995695412
14.000	.988785371	.999742627	.999723807	.997410588	.988560982	.996319190
14.250	.988803700	.999756165	.999765463	.997731306	.989760138	.996855095
14.500	.988819134	.999767125	.99979736	.998010881	.990836784	.997315034
14.750	.988832057	.999775931	.999827929	.998254500	.991802976	.997709431
15.000	.988842905	.999783039	.999851115	.998566738	.992669620	.998097255
15.250	.988852009	.999788821	.999870174	.998851475	.993445611	.998336397
15.500	.988859646	.999793433	.999885183	.998812273	.994142897	.998583667
15.750	.988866039	.999797128	.999898605	.998952180	.994766578	.998794898
16.000	.988871403	.999800116	.999909103	.999073826	.995324954	.998975255
16.250	.988875888	.999802485	.999917708	.999179609	.995824687	.999129094
16.500	.988879628	.999804392	.999924742	.999271534	.996271782	.999260210
16.750	.988882780	.999805897	.999930516	.999351367	.996671617	.999371871
17.000	.988885388	.999807104	.999935232	.999420680	.997029029	.999466896
17.250	.988887578	.999808066	.999939052	.999480858	.997348413	.999547750
17.500	.988889396	.999808818	.999942198	.999533094	.997633748	.999616429
17.750	.988890916	.999809437	.999944754	.999578394	.997888498	.99967767
18.000	.988892175	.999809861	.999946840	.999617688	.998115912	.99972306
18.250	.988893248	.999810234	.999948531	.999651760	.998318858	.999766294
18.500	.988894075	.999810539	.999949902	.999681279	.998499930	.999801941
18.750	.988894805	.999810703	.999951020	.999706849	.998661391	.999832109
19.000	.988895179	.999810830	.999951899	.999729015	.998805344	.999857657
19.250	.988895856	.999810927	.999952637	.999748200	.998933665	.999879278
19.500	.988896251	.999810994	.999953225	.999764800	.999047980	.999897525
19.750	.988896586	.999811046	.999953680	.999779187	.999149784	.999917962
20.000	.988896817	.999811098	.999954060	.999791622	.999240480	.999925978

STATION: CAPE KENNEDY

DATA: JIMSPHENE

MUTIN: C

WAVELENGTH RANGE: 90-6000 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

WDS VMAA (M/S)

ALTITUDE

14

12

10

8

6

4

GAMMA	2.262116373	3.057688276	2.570522487	2.086388141	2.693250597	3.110355656
BETA	.884866066	1.050383732	1.298471487	2.037747681	1.941145316	1.732503653

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

P(X)

11.250	.999006547	.998287752	.995610461	.970134720	.948568158	.550117052
11.500	.999322745	.998508111	.996551076	.973012671	.953341253	.955064461
11.750	.999035284	.998036771	.996797487	.975619189	.957694955	.959557135
12.000	.999045014	.999041021	.997263297	.977918684	.961662956	.961613115
12.250	.999052532	.999209061	.997660004	.980113536	.965276740	.967282798
12.500	.999058321	.999347124	.997997701	.982044235	.968565583	.970613889
12.750	.999062791	.999460623	.998284973	.983789541	.971556596	.973616570
13.000	.999066204	.999553710	.998529166	.985366535	.974274971	.976326704
13.250	.999068849	.999633049	.998736642	.986790992	.976743937	.978770785
13.500	.999070890	.999692274	.998912826	.988077037	.978985064	.980973251
13.750	.999072440	.999743767	.999062344	.989237726	.981018096	.982954484
14.000	.999073610	.999785054	.999189161	.990284868	.982861377	.984741012
14.250	.999074511	.999819975	.999296635	.991229258	.984531656	.986344679
14.500	.999075174	.999847874	.999387696	.992080688	.986044392	.987787597
14.750	.999075681	.999870710	.999464802	.992848031	.987413712	.989082471
15.000	.999076031	.999893317	.999531077	.993539408	.988652679	.990244552
15.250	.999076337	.999904576	.999585338	.994162135	.989712961	.991286874
15.500	.999076515	.999921692	.999631203	.994722866	.990785666	.992222184
15.750	.999076620	.999926962	.999671511	.995227590	.991703649	.993158227
16.000	.999076717	.999935154	.999704897	.995681815	.992528971	.993807711
16.250	.999076754	.999941818	.999733064	.996070487	.993272915	.994474449
16.500	.999076806	.999947242	.999756828	.996458054	.993946031	.995074363
16.750	.999076828	.999951616	.999776892	.996788569	.994553171	.995614703
17.000	.999076828	.999955185	.999793828	.997085705	.995100603	.996093966
17.250	.999076828	.999958061	.999808088	.997352771	.995594017	.996522039
17.500	.999076828	.999964400	.999820068	.997592725	.996038571	.996904232
17.750	.999076828	.999962270	.999830179	.997808315	.996438988	.997244522
18.000	.999076828	.999963763	.999838687	.998001933	.996799491	.997544974
18.250	.999076828	.999965012	.999845818	.998175792	.997123979	.997827683
18.500	.999076828	.999965996	.999851830	.998311875	.997415952	.998062417
18.750	.999076828	.999966778	.999856874	.998471983	.997676593	.998277768
19.000	.999076828	.999967494	.999861121	.998597726	.997914732	.998469554
19.250	.999076828	.999967895	.999864653	.998710535	.998127436	.998647262
19.500	.999076828	.999968375	.999867640	.998891137	.998317800	.998792164
19.750	.999076828	.999968596	.999870129	.998902507	.998489209	.998927280
20.000	.999076828	.999968842	.999872223	.998983882	.998644160	.999047443

STATION: CAPE KENNEDY

DATA: JIMSPHERE

MONTH: 2

WAVELENGTH RANGE: 90-6000 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

ALT (M)	4	6	8	10	12	14
GAMMA	2.299088679	2.195394945	2.027040333	2.813573688	1.995384167	2.203031242
BETA	273.216236115	508.170516968	602.323509216	489.639183044	679.904937744	595.032333374

X	P(X)	P(X)	P(X)	P(X)	P(X)	P(X)
1.00.000	.028521612	.008991316	.010985396	.002041564	.009508991	.006982052
2.00.000	.111656066	.040687610	.041427940	.012504308	.035574333	.029611652
3.00.000	.223654062	.081376051	.085153450	.033846484	.073111237	.06519202
4.00.000	.343854979	.140790206	.137559248	.065834419	.118468903	.109053951
5.00.000	.459308945	.205227632	.195069933	.106970047	.168790618	.150026766
6.00.000	.563131317	.275109544	.254965369	.155240271	.221895971	.214907508
7.00.000	.652503319	.341912281	.315217320	.208534768	.275976866	.271645937
8.00.000	.727080874	.401037869	.374348987	.264874246	.329856850	.328631569
9.00.000	.787881874	.469177172	.431318093	.322524697	.382548515	.384644114
10.00.000	.836563811	.527484633	.485421196	.380042501	.433366068	.438782480
11.00.000	.874983780	.581470773	.536216155	.436278511	.481834222	.480437158
12.00.000	.904949315	.630913101	.583459951	.490358900	.527643204	.539098829
13.00.000	.928092390	.675784118	.627058811	.541654319	.570612364	.584605813
14.00.000	.945818432	.716145555	.667028956	.589744451	.610660464	.626808517
15.00.000	.959299117	.752348751	.703465469	.634380452	.647781856	.665684232
16.00.000	.969498820	.789510896	.736518227	.675954058	.682027251	.701301351
17.00.000	.977147989	.812979276	.766373068	.712964147	.713488363	.73358859
18.00.000	.982878983	.838067181	.792323507	.746991709	.742285721	.763209455
19.00.000	.987148799	.860089796	.817329884	.776777298	.768559043	.789826609
20.00.000	.990317978	.879354004	.838871315	.805202514	.792459860	.813794316
21.00.000	.992662229	.896152265	.858079776	.829775050	.814145274	.835319162
22.00.000	.994390920	.910758575	.875166066	.851616949	.833774067	.854584180
23.00.000	.995662168	.921425920	.890330814	.870555475	.851502962	.871785074
24.00.000	.996594638	.934385866	.903762765	.888016202	.867484286	.887104448
25.00.000	.997276977	.941847954	.915637761	.903017916	.881864391	.900321875
26.00.000	.997775219	.952000625	.926118307	.916169278	.894782171	.912802577
27.00.000	.998138294	.959312188	.935353518	.927666359	.906368576	.923496589
28.00.000	.998402387	.965032086	.943479449	.937691249	.916746080	.932944443
29.00.000	.998594165	.970192336	.950619623	.946411550	.926028557	.941289127
30.00.000	.998733174	.974609241	.956885888	.953980021	.934321374	.948634290
31.00.000	.998833813	.978384666	.962378147	.960535124	.941721566	.955174880
32.00.000	.998906560	.981607586	.967187218	.964201462	.948318146	.960787557
33.00.000	.998959050	.984355532	.971393548	.971090570	.954192467	.965775251
34.00.000	.998996891	.986695915	.975069068	.975301877	.959418654	.970147975
35.00.000	.999024123	.988687031	.978277887	.978223425	.964064144	.97377476
36.00.000	.999043711	.990379274	.981076747	.982033059	.968189970	.977327771
37.00.000	.999057762	.991816141	.983516112	.984699279	.971851356	.980254081
38.00.000	.999075751	.993035085	.985640489	.986982211	.975098148	.982811224
39.00.000	.999097010	.994368295	.987489223	.988934457	.977975242	.985044360
40.00.000	.999120211	.995494371	.989496240	.990501845	.980523072	.986989461
41.00.000	.999146392	.996683884	.990494125	.992024258	.982777819	.988663827
42.00.000	.999176522	.997810055	.991707601	.993326408	.984772019	.990154759
43.00.000	.999210377	.998983925	.992760904	.994768239	.986534737	.991641779
44.00.000	.999249688	.999726416	.993674636	.99545716	.988091968	.992255708

4500.000	.999090664	.997663319	.994466871	.995891169	.989467017	.993525974
4600.000	.999091245	.997981444	.995153405	.996523924	.996680538	.994367182
4700.000	.999091685	.998249675	.995748043	.997060530	.991750963	.995097071
4800.000	.999091975	.998497554	.996262841	.997515239	.992694736	.995730072
4900.000	.999092191	.998665795	.996708319	.997900210	.993526474	.996278726
5000.000	.999092296	.998825578	.997093633	.998225875	.994259194	.996754013

STATION: CAPE KENNEDY

DATA: JIMSPHERE

MONTH: 2

WAVELENGTH RANGE: 90-6000 M

THEORETICAL PROBABILITY DISTRIBUTION: GAMMA

LV (M)

ALT (KM)	4	6	8	10	12	14
GAMMA	.823512509	3.461643010	2.821061254	2.883335263	2.528703481	2.147024006
BETA	736.06048584J	339.300743103	430.683021545	427.942047119	453.628238678	480.292625427

X	P(X)	P(X)	P(X)	P(X)	P(X)	P(X)
100.000	.139864177	.001047200	.002812841	.002423437	.005338227	.012537358
200.000	.269495543	.009255846	.016975443	.015224703	.026806979	.049655485
300.000	.372578040	.030201372	.045201254	.041481218	.064325669	.103987738
400.000	.457298990	.065740233	.086461683	.080602306	.114691570	.169007255
500.000	.528019793	.114824770	.138168762	.130320957	.174059164	.239504719
600.000	.587595142	.174731577	.197269494	.187774779	.238816954	.311624944
700.000	.638084516	.242059570	.260809503	.250075736	.305908263	.382593339
800.000	.681056842	.313400481	.326203559	.314712383	.372911852	.450527240
900.000	.717748255	.385728497	.391339656	.379481047	.438013304	.514224884
1000.000	.749154441	.456582420	.454590145	.442717638	.499929894	.573005505
1100.000	.776089951	.524112344	.514773741	.503174230	.557820462	.626552284
1200.000	.799228549	.587044753	.571095087	.559987999	.611196391	.674824223
1300.000	.819132177	.644605435	.623077184	.612619363	.659840845	.717962669
1400.000	.836272597	.696426049	.670495674	.660789207	.703739271	.756229930
1500.000	.851047829	.742450356	.713319249	.704420514	.743022390	.789962036
1600.000	.863794975	.782848999	.751658261	.743587017	.777919392	.819533937
1700.000	.874800555	.817946777	.785722244	.778470106	.808722831	.845334709
1800.000	.884308703	.848163836	.815785319	.809323281	.835760094	.867750250
1900.000	.892527901	.873969977	.842159696	.836444288	.859373055	.887151673
2000.000	.899636552	.895850532	.865174778	.860153362	.879903212	.903887875
2100.000	.905787587	.914282702	.885162197	.880777083	.897681229	.918281459
2200.000	.911112234	.929718946	.902445041	.898636565	.913019985	.930624422
2300.000	.915723294	.942577496	.917337354	.914039232	.926210351	.941184045
2400.000	.919717774	.953236625	.930104576	.927273579	.937518949	.950203434
2500.000	.923179246	.962033160	.941030972	.938606098	.947187416	.957883000
2600.000	.926179692	.969262794	.950348437	.948279627	.955432512	.964412086
2700.000	.928781234	.975182171	.958271652	.956513077	.962447256	.969953284
2800.000	.931037515	.980011657	.964991733	.963502049	.968402237	.974644371
2900.000	.932994761	.983939111	.970677666	.969419844	.973447345	.978627444
3000.000	.934692986	.987123407	.975477777	.974418990	.977713518	.981976233
3100.000	.936166763	.989697792	.979521595	.978632972	.981314696	.984807462
3200.000	.937446006	.991773576	.982921600	.982117950	.984349534	.987193242
3300.000	.938556589	.993443191	.985775054	.985154398	.986903161	.989201322
3400.000	.939520866	.994782974	.988165684	.987649046	.989048675	.990889676
3500.000	.940358311	.995855652	.990165271	.989736423	.990848921	.992307752
3600.000	.941085666	.996712767	.991835266	.991480209	.992357515	.993497647
3700.000	.941717505	.997396290	.993227944	.992934778	.993620098	.994495176
3800.000	.942266427	.997947347	.994387783	.994146384	.994675644	.995330691
3900.000	.942743406	.998372622	.995352432	.995154247	.995557182	.996029980
4000.000	.943157859	.998715542	.996153787	.995991573	.996292546	.996614784
4100.000	.943518080	.998987171	.996818662	.996686384	.996905379	.997107445
4200.000	.943831161	.999201846	.997369751	.997262284	.997415617	.997511528
4300.000	.944103333	.999371444	.997825980	.997739062	.997840176	.997852072
4400.000	.944339946	.999505187	.998203345	.998133324	.998192906	.998136073

4500.000	.984545634	.999610394	.998515137	.998459101	.998485893	.998372771
4600.000	.984724530	.999697207	.998712547	.998728029	.998728998	.998569913
4700.000	.984880068	.999758258	.998984851	.998949759	.998930618	.998734042
4800.000	.985015319	.999809258	.999159805	.999132484	.999097645	.998870596
4900.000	.985132948	.999849238	.999303848	.999282897	.999235940	.998984158
5000.000	.985235264	.999880552	.999422342	.999406584	.999350443	.999074542